

ANNUAL INDEX

VOLUME 8

1973

AUTHORS

A

- Abraham, S. See G. Ananda Rao
Ackman, R. G., I. Safe, S. N. Hooper, M. Paradis and S. Safe. 7-Methyl-7-hexadecenoic acid: Isolation from lipids of the ocean sunfish *Mola mola* (Linnaeus) 1758, 21
— J. C. Sipsos, C. A. Eaton, B. L. Hilaman and C. Litchfield. Molecular species of wax esters in jaw fat of atlantic bottlenose dolphin, 661
— See S. N. Hooper
Actis Dato, Sara M., Angel Catala and Rodolfo R. Brenner. Circadian rhythm of fatty acid desaturation in mouse liver, 1
Adamson, Arthur W. See Vida Slawson
Addison, R. F. and R. P. Cote. Variation with chain length in acute toxicity of alkylhydroxamic acids to salmon (*Salmo salar*) fry, 493
Agrawal, H. C. See D. C. Devivo
Akiya, Toshimi, Chujii Arai and Kiyoko Agarashi. Novel methods for evaluating deterioration and nutritive value of oxidized oil, 348
Araki, Chujii. See Toshimi Akiya
Attrep, Katherine A., John M. Mariani, Jr. and Moses Attrep, Jr. Short communication re search for prostaglandin A₁ in onion, 494
Attrep, Moses, Jr. See Katherine A. Attrep

B

- Baker, Nome, Pierre Mermier and Leon Wilson. Short communication re net increase of lipid fatty acid in Ehrlich ascites carcinoma during growth, 433
— See Pierre Mermier
Barve, J. A. See Kenneth Lippel
Beare-Rogers, J. L. See H. B. S. Conacher
— See B. Tiege
Benedetti, A. See M. Comporti
Benson, A. A. See T. Farkas
Bidlack, W. R. and A. L. Tappel. Damage to microsomal membrane by lipid peroxidation, 177
— and A. L. Tappel. Fluorescent products of phospholipids during lipid peroxidation, 203
Birk, C. C. See W. J. Martin
Bosch, M. A., G. Rebel, L. L. Sarlieve and N. M. Neskovic. Short communication re brain gangliosides of myelin synthesis-deficient mice, 436
Brenner, Rodolfo R. See Sara M. Actis Dato
Brewer, D. See S. Safe
Brockerhoff, H. Letter to the editor re determination of fatty acids in position 3 of triglycerides, 439
Bruszewski, T. E. See R. O. Mumma
Buchnea, Dmytro. I. Synthesis of *sn*-glycerol-cyclic-phosphodiester isomers, 280
Budowski, P. See Z. Fishler-Mates

C

- Caley, Richard M. and Robert G. Jensen. Short communication re effects of parathion on lipolysis in isolated rat adipose tissue cells, 43
Carpenter, D. See Kenneth Lippel
Carroll, K. K., R. M. G. Hamilton and G. K. Macleod. Plasma cholesterol levels in suckling and weaned calves, lambs, pigs, and colts, 635
— A. Vilim and M. C. Woods. Polyphenols of beef and human pituitary glands, 246
Carter, T. P. and J. Kanfer. Methodology for separation of gangliosides from potential water-soluble precursors, 537
Catala, Angel. See Sara M. Actis Dato
Cebulis, J. See D. W. Noonan
Cerven, J. See E. Ginter
Chen, S. H. and B. Lombardi. Activity of fatty acyl CoA lysophospholipid acyltransferases in liver microsomes of rats fed a choline deficient diet, 163
Chieli, E. See M. Comporti
Christianson, D. D. See H. W. Gardner

- Christie, W. W. See M. L. Hunter
Clausen, J. See K. C. Srivastava
Comporti, M., A. Benedetti and E. Chieli. Studies on *in vitro* peroxidation of liver lipids in ethanol treated rats, 498
Conacher, H. B. S., B. D. Page and J. L. Beare-Rogers. Monoethylenic isomers in cardiac lipids of rats fed partially hydrogenated herring oil, 256
Coniglio, J. G. See W. M. Grogan, Jr.
Connolly, P. See M. Sugita
Cornett, B. M. See J. R. Couch
Cote, R. P. See R. F. Addison
Couch, J. R., T. M. Ferguson and B. M. Cornett. Egg yolk lipids and maternal diet in the nutrition of turkey embryo, 682
— and A. E. Saloma. Effect of diet on triglyceride structure and composition of egg yolk lipids, 385
— and A. E. Saloma. Fatty acid positional distribution in egg yolk triglycerides from various avian species, 675

D

- D'Amato, P. H. See G. V. Vahouny
Davis, R. See S. H. Quarfordt
Dawson, Glyn. Short communication re hepatic galactosylceramide in globoid cell leukodystrophy (Krabbe's Disease), 154
Desiderio, D. M. See B. S. Middleditch
De Tomas, Maria Elena and Osvaldo Mercuri. Biosynthesis of liver glycerolipids from normal and essential fatty acid deficient rats: ³H-glycerol and ¹⁴C linoleic acid incorporation, 85
— See Osvaldo Mercuri
Devivo, D. C., M. A. Fishman and H. C. Agrawal. Short communication re preferential labeling of brain cholesterol by [3-¹⁴C]D(-)-3-hydroxybutyrate, 649
Dhopeswarkar, G. A., C. Subramanian, and J. F. Mead. Metabolism of 1,2-(1-¹⁴C) dipalmitoyl phosphatidylcholine in the developing brain, 763
Dickson, Leal G. and Glenn W. Patterson. AY-9944 inhibition of sterol biosynthesis in *Chlorella emersonii*, 443
Dillard, C. J. and A. L. Tappel. Fluorescent products from reaction of peroxidizing polyunsaturated fatty acids with phosphatidyl ethanolamine and phenylalanine, 183
Duitschaver, C. L. See A. C. Noble
Dulaney, J. T. See M. Sugita
Dunckley, G. G. See M. R. Grigor
Dutta, J. See S. Saha

E

- Earle, F. R. See M. B. Pearl
Eaton, C. A. See R. G. Ackman
Eichberg, Joseph and George Hauser. Letter to the editor re modification by excessive heat of glyceryl phosphoryl ethanolamine on phenol-containing paper chromatograms, 366
Evans, Robert M. See Richard W. Scholz

F

- Fairbairn, Donald. See George E. Tarr
Falch, J. See R. Wood
Farkas, T., J. C. Nevenzel and A. A. Benson. Lipid labeling with ³²P-orthophosphate and ¹⁴C-acetate in marine copepods, 728
Farmer, B. See R. A. Harris
Ferguson, T. M. See J. R. Couch
Ferrell, W. J. See J. N. Miceli
— Short communication re glycerol thioethers in human heart, 234
Floriti, J. A. See R. J. Sims
Fishler-Mates, Z., P. Budowski and A. Pinaky. Effect of soy sterols on cholesterol synthesis in the rat, 40, erratum, 327
Fishman, M. A. See D. C. Devivo

Fleischman, Alan I. and Paul H. Lenz. Lipid metabolism following triglyceride ingestion in intact and adrenalectomized rats, 170

G

- Gardner, H. W., D. D. Christianson and R. Kleiman. *Dimorphotheca sinuata* lipoxigenase: Formation of 13-L-hydroperoxy-*cis*-9, *trans*-11-octadecadienoic acid from linoleic acid, 271
- Ghosh, D., R. L. Lyman and J. Tinoco. Influence of the polar group on interactions between phospholipids and sterols in monolayers. Rapid decomposition of phosphatidylethanolamines and cholesterol in monolayers at pH 11.9, 61
- Ginter, E., R. Nemecek, J. Cerven and L. Mikus. Quantification of lowered cholesterol oxidation in guinea pigs with latent vitamin C deficiency, 135
- Gordon, Dennis T. See Wayne H. Heimermann
- See Robert G. Jensen
- Gothammar, B. See M. Hamberg
- Graveland, A. Analysis of lipoxigenase nonvolatile reaction products of linoleic acid in aqueous cereal suspensions by urea extraction and gas chromatography, 599
- Enzymatic oxidation of linoleic acid in aqueous wheat flour suspensions, 606
- Grigor, M. R. and G. G. Dunckley. Origin of the high saturated fatty acid content of rat fecal lipids, 53
- Grogan, W. M., Jr., J. G. Coniglio and R. K. Rhamy. Short communication re identification of some polyenoic acids isolated from human testicular tissue, 480
- Guelndner, R. C. See R. D. Henson
- Gunstone, F. D. See Kenneth Lippel
- Guss, Paul L. See James L. Krysan

H

- Hamberg, M. and B. Gothammar. A new reaction of unsaturated fatty acid hydroperoxides: Formation of 11-hydroxy-12,13-epoxy-9-octadecenoic acid from 13-hydroperoxy-9,11-octadecadienoic acid, 737
- Hamilton, R. M. G. See K. K. Carroll
- Hansen, H. J. M. Letter to the editor re significance of malonyl-CoA as an intermediate in fatty acid biosynthesis, 595
- Hara, I., H. Shimazaki and J. Sato. Effect of oxidation on chemical spectral and immunochemical properties of egg yolk lipoprotein, 623
- Harris, R. A. and B. Farmer. Stimulation of ion transport by phosphoglycerides, 717
- M. C. Leland, J. M. Mahoney and J. P. Mapes. Regulatory function of mitochondria in lipogenesis, 717
- Hasegawa, K. and T. Suzuki. Determination of molecular species of ovestectin using gas chromatography-mass spectrometry, 631
- Hattori, Y. See M. Nakamura
- Hauser, George. See Joseph Eichberg
- Hay, J. D. and W. R. Morrison. Letter to the editor re positional isomers of *cis* and *trans* monoenoic fatty acids from ox (steer) perinephric fat, 94
- Heilmann, William P. See Howard A. I. Newman
- Heimermann, Wayne H., Ralph T. Holman, Dennis T. Gordon, Doris E. Kowalshyn, and Robert G. Jensen. Short communication re effect of double bond position in octadecenoates upon hydrolysis by pancreatic lipase, 45
- Helsabeck, Eric. See Ronald C. Reitz
- Hemans, C. See M. K. Govind Rao
- Henick, A. S. See W. L. Porter
- Henson, R. D., A. C. Thompson, R. C. Guelndner, N. V. Mody and W. W. Neel. Short communication re lipid composition of the pecan weevil, *Curculio caryae* (Horn), 657
- Hernell, Olle and Owe Johnson. Effect of ethanol plasma triglycerides in male and female rats, 503
- Hilaman, B. L. See R. G. Ackman
- Hoffman, L. L. See A. P. Tulloch
- Holman, Ralph T. See Wayne H. Heimermann
- Holmer, Gunhild, Robert L. Ory and Carl-Erik Hoy. Changes in lipid composition of germinating barley embryo, 277
- Holmes, William L. See Pavle Paul
- Hooper, S. N., M. Paradis and R. G. Ackman. Distribution of *trans*-6-hexadecenoic acid, 7-methyl-7-hexadecenoic acid and common fatty acids in lipids of ocean sunfish *Mola mola*, 509
- See R. G. Ackman
- Hoy, Carl-Erik. See Gunhild Holmer
- Hunter, M. L., W. W. Christie and J. H. Moore. The structures of the principal glycerolipids of pig liver, 65
- Huterer, S. See J. R. Wherrett

LIPIDS, VOL. 8, NO. 12

Igarashi, Kiyoko. See Toshimi Akiya

Ismail, I. A. See Kenneth Lippel

Itoh, T., M. Tanaka and H. Kaneko. Application of silica gel-sintered plate to thin layer lipid chromatographic analysis, 259

J

- Jack, R. Cecil M. See Benjamin Weiss
- Jakol, L. See S. H. Quarfordt
- Jensen, Robert G., Dennis T. Gordon and C. R. Scholfield. Short communication re hydrolysis of linoleate geometric isomers by *Geotrichum candidum* lipase, 323
- See Richard M. Caley
- See Wayne H. Heimermann
- John, K. V. See R. Reid
- Johnson, C. B. Short communication re separation of *cis* and *trans* isomers of 1,2-benzylidene glyceryl esters, 479
- Johnson, Owe. See Olle Hernell
- Johnson, Ruth E. See Hans Kaunitz

K

- Kabara, Jon J. Brain cholesterol: XVI. Incorporation of different precursors into baboon tissue sterol, 56
- Kakis, G. See P. J. A. O'Doherty
- Kaneda, Takashi. See Takehiko Ohfuji
- Kaneko, H. See T. Itoh
- Kanfer, J. See T. P. Carter
- See Richard A. Mumford
- See S. Raghaven
- Kanuk, M. J. See R. J. Sims
- Kaunitz, Hans and Ruth E. Johnson. Exacerbation of heart and liver lesions in rats by feeding of various mildly oxidized fats, 329
- Kellogg, T. F. Short communication re on the site of the microbiological reduction of cholesterol to coprostanol in the rat, 658
- Kingma, F. J. See D. J. van der Horst
- Kinsella, J. E. Preferential labeling of phosphatidylcholine during phospholipid synthesis by bovine mammary tissue, 693
- Kircher, Henry W. and Fumiko U. Rosenstein. Hydrogenation of stigmaterol, 101
- and F. U. Rosenstein. Isolation of brassicasterol from steam deodorizer distillate of rapeseed oil: Some properties of its acetate tetrabromide and its reduction to 22,23-dihydrobrassicasterol, 453
- and Fumiko U. Rosenstein. Purification of sitosterol, 97
- See Fumiko U. Rosenstein
- Klauda, H. C., R. F. McGovern and F. W. Quackenbush. Use of a bile duct T-cannula as a new technique for studying bile acid turnover in the rat, 459, erratum, 597
- Kleiman, R. See H. W. Gardner
- See M. B. Pearl
- Klinic, K. See M. Prostenik
- Kolattukudy, P. E. Short communication re identification of 18-oxo-9,10-epoxystearic acid, a novel compound in the cutin of young apple fruits, 90
- Kottke, B. A. See W. J. Martin
- Kowalshyn, Doris E. See Wayne H. Heimermann
- Kramer, J. K. G. Changes in liver lipid composition of male rats fed rapeseed oil diets, 641
- Krigbaum, W. R. See S. H. Quarfordt
- Kritchevsky, David, Shirley A. Tepper and Jon A. Story. Short communication re influence of vitamin C on hydroxylation and side chain oxidation of cholesterol in vitro, 482
- Krysan, James L. and Paul L. Guss. Lipase from egg of southern corn rootworm, 369
- Kuksis, A. See P. J. A. O'Doherty

L

- Lambreton, Edward N. and Mary F. Welch. Short communication re tumor lipids: comparison of glyceryl ethers of mouse and insect tumors, 160
- Leland, M. C. See R. A. Harris
- Lenz, Paul H. See Alan I. Fleischman
- Levasseur, L. A. See W. L. Porter
- Lewis, R. W. Short communication re vitamin A: occurrence and distribution in fractionated mucus, 321
- Lin, Y. and N. S. Radin. Alternate pathways of cerebroside catabolism, 732
- Lippel, Kenneth, F. D. Gunstone and J. A. Barve. Activation of long chain fatty acids by subcellular fractions of rat liver: II. Effect of ethylenic bond

- position on acyl-CoA formation of *trans*-octadecenoates, 119
- D. Carpenter, F. D. Gunstone and I. A. Ismail. Activation of long chain fatty acids by subcellular fractions of rat liver: III. Effect of ethylenic bond position on acyl-CoA formation of *cis*-octadecenoates, 124
- Activation of long chain fatty acids by subcellular fractions of rat liver: I. Activation of *trans*-unsaturated acids, 111
- Litchfield, C. See R. G. Ackman
- Lombardi, B. See S. H. Chen
- Lyman, R. L., G. Sheehan and J. Tinoco. Phosphatidylethanolamine metabolism in rats fed a low methionine, choline deficient diet, 71
- See D. Ghosh

Mc

- McCarl, R. L. See B. F. Szuhaj
- McGovern, R. F. and F. W. Quackenbush. Effect of dietary fat saturation on absorption and intestinal secretion of cholesterol by the hypercholesterolemic rat, 470
- and F. W. Quackenbush. Influence of dietary fat on bile acid secretion of rats after portal injection of ^3H -cholesterol and $[4\text{-}^{14}\text{C}]$ cholesteryl esters, 473
- and F. W. Quackenbush. Turnover of bile acids in the hypercholesterolemic rat as influenced by saturation of dietary fat, 466
- See H. C. Klauda
- McGregor, M. L. See R. Reid

M

- Macleod, G. K. See K. R. Carroll
- Madrigal, B. V. and C. R. Smith, Jr. Cyclopropanoic acids of *Parosia septima* seed oil, 407
- Mahadevan, V. See L. N. Norcia
- Mahoney, J. M. See R. A. Harris
- Makino, Isao, Kenjiro Shinozaki, and Shoichi Nakagawa. Short communication re sulfated bile acid in urine of patients with hepatobiliary diseases, 47
- Malshet, V. G. and A. L. Tappel. Fluorescent products of lipid peroxidation: I. Structural requirement for fluorescence in conjugated Schiff bases, 194
- Mapes, J. P. See R. A. Harris
- Mariani, John M., Jr. See Katherine A. Attrep
- Martin, W. J., M. T. Ravi Subbiah, B. A. Kottke, C. C. Birk and M. C. Naylor. Nature of fecal sterols and intestinal bacterial flora, 208
- Mason, David P. See Ronald C. Reitz
- Mates, A. Inhibition of *Staphylococcus aureus* lipase activity by alcohols, 549
- Mead, J. F. See G. A. Dhopeswarkar
- See Vida Slawson
- Mercuri, Osvaldo and Maria Elena De Tomas. Short communication re in vivo incorporation of ^3H arachidonic acid and ^{14}C linoleic acid into liver lipids from essential fatty acid deficient rats, 156
- See Maria Elena De Tomas
- Mermier, Pierre and Nome Baker. Short communication re volume dependent transfer of free fatty acids from Ehrlich ascites carcinoma to host tissues, 534
- See Nome Baker
- Mezli, Catherine. See Margaret Oulton
- Miceli, J. N. and W. J. Ferrell. Effects of ethanol on membrane lipids: III. Quantitative changes in lipid and fatty acid composition of nonpolar and polar lipids of mouse total liver, mitochondria and microsomes following ethanol feeding, 722
- Michael, C. M. Short communication re prostaglandins in swine testes, 92
- Middleditch, B. S. and D. M. Desiderio. Mass spectra of prostaglandins: II. Trimethylsilyl and alkyl oxime-trimethylsilyl derivatives of prostaglandins B₁ and B₂, 267
- Mikus, L. See E. Ginter
- Mitchell, E. D. See R. Reid
- Mody, N. V. See R. D. Henson
- Moore, J. H. See M. L. Hunter
- See R. C. Noble
- Moore, R. Wayne. See Glen E. Mott
- Morita, A. D-Galactosamine induced fatty liver: II. Analyses of hepatic lipid compositions, 553
- Morrison, W. R. See J. D. Hay
- Morton, W. T. See M. D. Stearns, Jr.
- Moser, H. W. See M. Sugita
- Mott, Glen E., R. Wayne Moore, Harold E. Redmond and Raymond Reiser. Short communication re lowering of serum cholesterol by intestinal bacteria in cholesterol-fed piglets, 428
- Mounis, T. L. Tritium labeling of lipids, 190
- Mumford, Richard A., Srinivasa S. Raghavan, David B. Rhoads and Julian N. Kanfer. Short communication

re radiochemical decomposition of lactosyl-6- ^3H -ceramide, 238

Mumma, R. O. and T. E. Bruszewski. Fungi pathogenic to insects: III. Neutral and polar lipids of *Entomophthora coronata*, 745

N

- Nakagawa, Shoichi. See Isao Makino
- Nakamura, M., H. Tanaka, Y. Hattori and M. Watanabe. Biological effects of autoxidized safflower oils, 566
- and O. S. Privett. Studies on metabolism of linoleic- $1\text{-}^{14}\text{C}$ acid in testes of hypophysectomized rats, 224
- Naqvi, S. H. Mujtaba and H. J. Nicholas. Short communication re conversion of sodium lithocholate- $24\text{-}^{14}\text{C}$ to other products by guinea pig brain, 651
- Letter to the editor re steroid acids from EAE guinea pig brain: Identification of 3β -hydroxy-5-choleenoic acid, 767
- Naylor, M. C. See W. J. Martin
- Neel, W. W. See R. D. Henson
- Nelson, E. C. See R. Reid
- Nemec, R. See E. Ginter
- Neskovic, N. M. See M. A. Bosch
- Nevenzel, J. C. See T. Farkas
- Newbold, R. P. See R. K. Tume
- Newman, Howard A. L., William P. Heilman and Donald T. Wiliak. Differential effects of benzodioxane, chroman and dihydrobenzofuran analogs of clofibrate in a triton hyperlipemic rat model, 378
- Nicholas, H. J. See S. H. Mujtaba Naqvi
- Noble, A. C. and C. L. Ditscheaver. Short communication re fatty acid composition of lipids from *Saccharomyces fragilis*, 655
- Noble, R. C., J. C. O'Kelly and J. H. Moore. Observations on changes in lipid composition and lecithin-cholesterol-acyl transferase reaction of bovine plasma induced by heat exposure, 216
- Nooner, D. W., J. Oro and J. Cerbulis. Paraffinic hydrocarbon composition of earthworms (*Lumbricus terrestris*), 489
- Norcia, L. N. and V. Mahadevan. Effects of acyl chain hydroxyl groups and increasing unsaturation on the autoxidation of cholesteryl esters in aqueous colloidal suspension, 17
- Absorption and biliary secretion of intraperitoneally injected 3β methoxycholest-5-ene- $4\text{-}^{14}\text{C}$ in the rat, 315 errata, 440
- Noren, Borge and Goran Odham. Antagonistic effects of *Myxococcus xanthus* on fungi: II. Isolation and characterization of inhibitory lipid factors, 573

O

- Odham, Goran. See Borge Noren
- O'Doherty, P. J. A., G. Kakis and A. Kuksis. Role of luminal lecithin in intestinal fat absorption, 249
- Oelschlaeger, H. See S. H. Quarfordt
- Ohfuji, Takehiko and Takashi Kameda. Characterization of toxic compound in thermally oxidized oil, 353
- O'Kelly, J. C. See R. C. Noble
- Oro, J. See D. W. Noonon
- Ory, Robert L. See Gunhild Holmer
- Ottolenghi, Athos. Preparation and characterization of mouse intestinal phospholipase, 415
- Short communication re high phospholipase content of intestines of mice infected with *Hymenolepis nana*, 426
- Oudejans, R. C. H. M. See D. J. van der Horst
- Oulton, Margaret and Catherine Mezli. Short communication re developmental changes in lipid composition of chick sciatic nerve myelin, 235

P

- Page, B. D. See H. B. S. Conacher
- Paradis, M. See R. G. Ackman
- See S. N. Hooper
- Patterson, Glenn W. See Leal G. Dickson
- Paul, Pavle and William L. Holmes. Free fatty acid metabolism during stress: exercise, acute cold exposure and anaphylactic shock, 142
- Pearl, M. B., R. Kleiman and F. R. Earle. Acetylenic acids of *Alvaradoa amorphaeoides* seed oil, 627
- Perkins, E. G. See M. K. Govind Rao
- Pinsky, A. See Z. Fishler-Mates
- Porter, W. L., A. S. Henick and L. A. Levasseur. Addition compounds of oxidizing tocopherol and soybean lecithin, 31
- Privett, O. S. See Masami Nakamura
- See W. C. Tan
- Prostenik, M., K. Kljaic and M. Weinert. Short communication re occurrence of (+)-erythro-2,3-dihydroxyhexacosanoic acid in cerebri from the yeast *Saccharomyces cerevisiae*, 325

Q

- Quackenbush, F. W. See H. C. Klauda
 — See R. F. McGovern
 Quarfordt, S. H., H. Oelschlaeger, W. R. Krigbaum,
 L. Jakoi and R. Davis. Effect of biliary obstruction
 on canine plasma and biliary lipids, 522

R

- Radin, N. S. See Y. Lin
 Raghaven, S., C. Spielvogel and J. N. Kanfer. Sphingo-
 lipid fatty acid composition of rat brain "mem-
 branous sacs," 517
 — See Richard A. Mumford
 Rahn, C. H. and H. Schlenk. Detection of aldehydes
 with 4-amino-5-hydrazino-1,2,4-triazole-3-thiol as
 spray agent, 612
 Rao, G. Ananda and S. Abraham. Short communication
 re α -glycerolphosphate dehydrogenase activity and
 levels of glyceride-glycerol precursors in mouse
 mammary tissues, 232
 Rao, K. Subba. See P. Srinivasa Rao
 Rao, M. K. Govind, C. Hemans and E. G. Perkins.
 Effect of heated fat upon metabolism of 1-¹⁴C-
 acetate in the rat, 342
 Rao, P. Srinivasa and K. Subba Rao. Fatty acid com-
 position of phospholipids in different regions of
 developing human fetal brain, 374
 Rebel, G. See M. A. Bosch
 Redmond, Harold E. See Glen E. Mott
 Reid, R., E. C. Nelson, E. D. Mitchell, M. L. Mc-
 Gregor, G. R. Waller and K. V. John. Mass
 spectral analysis of eleven analogs of vitamin A,
 558
 Reiser, Raymond. See Glen E. Mott
 Reiss, U. and A. L. Tappel. Fluorescent product forma-
 tion and changes in structure of DNA reacted with
 peroxidizing arachidonic acid, 199
 Reitz, Ronald C., Eric Helsabeck and David P. Mason.
 Effects of chronic alcohol ingestion on the fatty
 acid composition of the heart, 80
 Rhamy, R. K. See W. M. Grogan, Jr.
 Rhoads, David B. See Richard A. Mumford
 Rodis, S. L. See G. V. Vahouny
 Rosenstein, Fumiko U. and Henry W. Kircher. Analysis
 of mixtures of stigmasterol, stigmastanol and
 sitosterol, 107
 — See H. W. Kircher

S

- Safe, L. See R. G. Ackman
 Safe, S. and D. Brewer. Lipid composition of *Chaeto-
 mum cochliodes*: Effect of media, 311
 — See R. G. Ackman
 Saha, S. and J. Dutta. Short communication re prepara-
 tion of fatty acid methyl esters from triglycerides on
 thin layer plates, 653
 Saloma, A. E. See J. R. Couch
 Sarlieve, L. L. See M. A. Bosch
 Sato, J. See I. Hara
 Schlenk, H. See C. H. Rahn
 Scholfield, C. R. See Robert G. Jensen
 Scholz, Richard W. and Robert M. Evans. Pyruvate
 metabolism by rat lung *in vitro*, 369
 Shah, S. N. Regulation of hepatic cholesterol synthesis
 from mevalonate in suckling and weaned rats, 284
 Sheehan, G. See R. L. Lyman
 Shimasaki, H. See I. Hara
 Shinozaki, Kenjiro. See Isao Makino
 Sims, R. J., J. A. Fioriti and M. J. Kanuk. Polymeriza-
 tion inhibitors for polyunsaturated oils, 337
 Sipos, J. C. See R. G. Ackman
 Slawson, Vida, Arthur W. Adamson and James F.
 Mead. Autooxidation of polyunsaturated fatty esters
 on silica, 129
 Smith, C. R., Jr. See R. V. Madrigal
 Spielvogel, C. See S. Raghaven
 Srivastava, K. C. and J. Clausen. Short communication
 re extraction of prostaglandins E₁, E₂ and E₃ from
 human seminal plasma, 431
 — and J. Clausen. Short communication re stability of
 prostaglandin E compounds in solution, 502
 Stearns, E. M., Jr. and W. T. Morton. Incorporation
 of acetate into fatty acids and complex lipids of
 soybean cotyledon slices under aerobic and anaerobic
 conditions, 668
 Stiller, Richard L. See Benjamin Weiss
 Story, Jon A. See David Kritchevsky
 Subbiah, M. T. Ravi. See W. J. Martin
 — Short communication re cholesterol and plant sterols
 in pigeon skin, 158

- Subramanian, C. See G. A. Dhopeshwarkar
 Sugita, M., P. Connolly, J. T. Dulaney and H. W.
 Moser. Fatty acid composition of free ceramides
 of kidney and cerebellum from a patient with
 Farber's disease, 401
 Sun, G. Y. See T. M. Yau
 Suzuki, T. See K. Hasegawa
 Suzhaj, B. F. and R. L. McCarl. Fatty acid composition
 of rat hearts as influenced by age and dietary fatty
 acids, 241

T

- Tan, W. C. and O. S. Privett. Studies on detection and
 synthesis of prostaglandins in tail skin of the rat,
 166
 Tanaka, H. See M. Nakamura
 Tanaka, M. See T. Itoh
 Tappel, A. L. See W. R. Bidlack
 — See C. J. Dillard
 — See V. G. Malshet
 — See U. Reiss
 Tarr, George E. and Donald Fairbairn. Ascarosides of
 the ovaries and eggs of *Ascaris lumbricoides*
 (Nematoda), 7
 — and Donald Fairbairn. Glycerides, waxes and sterols
 in ovaries of *Ascaris lumbricoides* (Nematoda), 303,
 erratum, 487
 Teige, B. and J. L. Beare-Rogers. Cardiac fatty acids
 in rats fed marine oils, 581
 Tepper, Shirley A. See David Kritchevsky
 Thompson, A. C. See R. D. Henson
 Tinoco, J. See D. Ghosh
 — See R. L. Lyman
 Tulloch, A. P. and L. L. Hoffman. Leaf wax of oats, 617
 Tume, R. K. and R. P. Newbold. Fatty acid composition
 of sarcoplasmic reticulum phospholipids from red
 and white muscles of the rabbit, 441

V

- Vahouny, G. V., P. H. D'Amato and S. L. Rodis.
 Acetyl carnitine formation in rat heart, 446
 Van der Horst, D. J., F. J. Kingma and R. C. H. M.
 Oudejans. Phospholipids of the pulmonate land
 snail *Cepaea nemoralis*, 759
 Verret, G. See C. Willemot
 Vick, B. A. See D. C. Zimmerman
 Vilim, A. See K. K. Carroll

W

- Walker, B. L. See C. M. Zehaluk
 Waller, G. R. See R. Reid
 Watanabe, M. See M. Nakamura
 Weber, Evelyn J. Changes in structure of triglycerides
 from maturing kernels of corn, 295
 Weinert, M. See M. Prostenik
 Weiss, Benjamin, Richard L. Stiller and R. Cecil M.
 Jack. Sphingolipids of the fungi *Phycomyces*
blakesleeanus and *Fusarium lini*, 25
 Welch, Mary F. See Edward N. Lambremont
 Wherret, J. R. and S. Huterer. Short communication re
 bis-(monoacylglyceryl)-phosphate of rat and human
 liver: Fatty acid composition and NMR spectroscopy,
 531
 Willemot, C. and G. Verret. Incorporation of choline-
 1,2-¹⁴C into molecular species of phosphatidylcholine
 by alfalfa leaflet tissue, 588
 Wilson, Leon. See Nome Baker
 Witak, Donald T. See Howard A. I. Newman
 Wood, R. and J. Falch. Lipids of cultured hepatoma
 cells: II. Effect of media lipids on cellular phos-
 pholipids, 702
 — Lipids of cultured hepatoma cells: I. Effect of
 serum lipid levels on cell and media lipids, 690
 Woods, M. C. See K. K. Carroll

X-Y-Z

- Yau, T. M. and G. Y. Sun. Incorporation of [1-¹⁴C]-
 oleic acid into neutral glycerides and phospho-
 glycerides of mouse brain, 410
 Zehaluk, C. M. and B. L. Walker. Short communication
 re enhancement of liver microsomal acyl CoA-
 lysophospholipid acyltransferase activity in pyridoxine
 deficient rats, 151
 Zimmerman, D. C. and B. A. Vick. Lipoxigenase in
Chlorella pyrenoidosa, 264

SUBJECT

A

- Acetalysis**, of phosphatidyl choline, 631
- Acetate**, of ascarosides, synthesis, 7
- conversion to acetyl carnitine in rat heart, 446
 - incorporation into cholesterol, liver and intestine, 40
- ¹⁴C-Acetate**, incorporation into lipids of copepods, 728
- ¹⁻¹⁴C-Acetate**, incorporation into fatty acids in soybeans, 668
- incorporation into tissue cholesterol, 56
- ¹⁻¹⁴C-Acetate, sodium**, metabolism, effect of heated fat, 342
- ²⁻¹⁴C-Acetate**, incorporation into phospholipids, in mammary gland, 393
- ²⁻³H-Acetate**, incorporation into tissue cholesterol, 56
- Acetyl carnitine**, assay of labelled, 446
- formation of during fatty acid synthesis in rat heart, 446
- Acetyl-CoA**, fatty acid synthesis in liver, 595
- Acetylenic compounds**, labeling of lipids, 190
- Acyl-Co-A derivatives**, metabolism by liver microsomes, 163
- Acyl CoA synthetase (E.C. 6.2.1.3)**, *cis* octadecenoates, rat liver, 124
- *trans* octadecenoates Δ^1 to Δ^{15} , 119
- N-Acyl phosphatidyl ethanolamine**, metabolism in soybeans, 668
- Acyltransferase**, arachidonyl CoA-lysophospholipid, 151
- in EFA deficiency, 156
 - LCAT in bovine plasma, 216
 - lysophospholipid in choline deficient rat, 163
 - oleyl CoA-lysophospholipid, 151
 - phosphatidylcholine fatty acid comp, 588
- Adenocarcinoma**, glyceryl ethers, 160
- Adenocarcinoma, murine mammary**, α -glycerolphosphate dehydrogenase activity, 232
- Adenyl cyclase**, lipolytic activity and parathion, 43
- Adipocytes**. See fat cells
- Adipose tissue**, parathion and lipolysis, 43
- Adipose tissue, rat**, bile fistula and fat uptake, 249
- Adrenal, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Adrenal gland, rat**, control of phospholipid synthesis, 170
- Adrenalectomy**, affect on intestinal lipolysis, 170
- Age**, fatty acid profile of rat heart, 241
- Aglycone**, ascarosides, *A. lumbricoides*, ovaries, eggs, 7
- GLC, 7
 - hydroxyl groups, reduction as mesitylates, 7
 - isolation from ascarosides, 7
 - TLC, gradient elution, 7
- ¹⁴C-U-Alanine**, incorporation into fatty acids by mitochondria, 711
- Albumin**, as lipase activity protector, 369
- effect on acyl CoA formation, 119, 124
 - transport of free fatty acids, 534
- Albumin, bovine, serum**, co-precipitation of gangliosides, 537
- Alcoholism**, fatty acid profile of rat heart lipids, 80
- Alcohols**, *A. lumbricoides* ovarian waxes, 303
- in oat leaf wax, 617
 - inhibitors of *S. aureus* lipase, 549
- Alcohols, long chain**, in jaw fat of dolphin, 661
- unsaturated in dolphin, 661
- Aldehydes**, spray reagent for, TLC, 612
- Alfalfa, leaf**, phosphatidylcholine synthesis, 588
- Algae**, effect of AY-9944 on sterols of, 443
- lipoxigenase activity, 264
 - sterol biosynthesis, 443
 - sterol comp, 443
- Alkaline isomerization**, in identification of polyenoic acids, 480
- Alkaline phosphatase**, in rats fed autoxidized safflower oil, 566
- inhibition by oxidized fat, 348
- S-Alk-1-enyl ethers**, human heart, 234
- Alk-1-enyl glyceryl ethers**, *D. melanogaster* tumor lipids, 160
- mouse tumor lipids, 160
- Alk-1-enyl-2-acyl-glycerol phosphoryl ethanolamine**, metabolism in mouse brain, 410
- Alkoxy-trimethylsilyl derivatives**, prostaglandins, mass spectra, 267
- Alkyl glyceryl ethers**, *D. melanogaster* tumor lipids, 160
- mouse tumor lipids, 160
- Alkylhydroxamic acids**, acute toxicity in salmon fry, 493
- distribution between water and chloroform, 493
- Allergic encephalomyelitis**, guinea pig, brain steroids of, 767
- Allium cepa**, prostaglandin A₁ content, 484
- Alloxan**, treated rats, effect on fatty acid synthesis, cell free systems, 711
- Alvaradoa amorphoides**, acetylenic fatty acids, 627
- fatty acid profile, 627

- 4-Amino-5-hydrazino-1,2,4-triazole-3-thiol**, spray reagent for TLC at aldehydes, 612
- Anaphylactic shock**, effect on free fatty acid metabolism, 142
- Anchovy oil**, effect on rat cardiac lipids, 584
- Anions**, stimulation of ion transport by phospholipids, 717
- Antioxidants**, BHT in microsomal lipid peroxidation, 177
- Aorta, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Apple cutin**, 18-oxo-9,10-epoxystearic acid in, 90
- Arachidonic acid**, acyl CoA formation by microsomes or mitochondria, 111
- cholesterol ester, autooxidation of sterol moiety, 17
 - fluorescent chromophore, 183
 - ³H incorporation in EFA deficient rats, 166
 - in rat liver, effect of D-galactosamine, 553
- Arachidonic acid, ethyl ester**, peroxidation with DNA, 199
- Arachidonyl CoA-lysophospholipid acyltransferase**, in B₆ and EFA deficiency, 151
- Artifacts**, paper chromatography, phosphatide hydrolytic products, 366
- Ascaris lumbricoides**, aglycones in ovaries and eggs, 7
- ascaroside esters in ovaries and eggs, 7
 - glycone in ovaries and eggs, 7
 - ovarian glycerides, waxes, sterols, 303
- Ascaroside esters**, *A. lumbricoides*, ovaries, eggs, 7
- acetate, synthesis, 7
 - GLC, TLC, gradient elution, 7
- Ascarosides**, *A. lumbricoides*, ovaries, eggs, 7
- Asclites**, Ehrlich, glyceryl ethers, 160
- in mice, 534
- Ascorbic acid**, effect on hydroxylation of cholesterol, 482
- effect on oxidation of cholesterol, 482
- Asolectin**, action of mouse phospholipase on, 415
- Autoxidation**, effect of iron on, egg yolk lipoproteins, 623
- egg yolk lipoproteins, effects on spectra and immunochemical properties, 623
 - of esterified cholesterol, effect of acyl group, 17
 - initiation on silica, 129
 - initiation rate on silicic acid, 129
- Autoxidized fats**, safflower oil in rat diet, 566
- AY-9944**, effect on *Chlorella emersonii*, 443
- inhibition of sterol synthesis in algae, 443
 - mechanism of action, 443
- Azodicarboxylate, potassium**, labeling of lipids, 190

B

- Baboon tissues**, cholesterol biosynthesis from acetate and glucose, 56
- Bacteria**, extracellular lipids of *M. xanthus*, 573
- Bacteria, enzymes**, *S. aureus* lipase, 519
- Bacteria, intestinal**, influence on fecal sterol excretion, 208
- effect on pig serum cholesterol content, 428
- Bacterial cell**, phospholipase action on, 415
- Barley**, flour lipoxigenase activity, 599
- germinating embryo, lipid comp, 277
- Benzylidene glycerol**, isomers, separation, 479
- Bile**, anal. of, by chromatography, 459
- collection by cannulation of bile duct, 459
 - daily sampling via T-cannula, 459
 - phosphatidyl choline and fat absorption, 249
 - secretion, methoxycholesterol metabolites, 315
- Bile, dog**, effect of biliary obstruction on lipids, 522
- Bile, rat**, turnover and metabolism of, 459
- turnover of cholate and chenodeoxycholate, 466
- Bile acids**, cholate and chenodeoxycholate metabolism, 466
- decline of specific radioactivity, dietary effect on, 459
 - effect of biliary obstruction in dog, 522
 - formation in scorbutic guinea pigs, 135
 - metabolism in brain, 651
 - metabolism in hypercholesterolemic rats, 466
 - metabolism in rat, 459
 - production in adrenalectomized rat, 170
 - rat, synthesis from methoxycholesterol, 315
 - rat, TLC, 315
 - secretion after portal injection of cholesterol, 473
 - sulfated, non-sulfated, fractionation, gel filtration, 47
 - sulfated, non-sulfated, isolation, ion exchange chromatography, 47
 - sulfated, non-sulfated, TLC, 47
 - sulfated, non-sulfated, urine, hepatobiliary diseases, 47
- Bile duct**, surgery on, in rat, 459
- Bile fistula**, rat, fat absorption, fat uptake by tissue, 249
- Biorehydrogenation**, unsaturated fatty acids, rat intestine, 53
- Bis-(monoacylglyceryl)-phosphate**, in human lipid storage disease, 531
- in rat liver lysosomes, 531

- structure, 531
 - Blood brain barrier**, effect on phospholipids, 753
 - Borotritide**, labeling of lipids, 190
 - Bovine, mammary gland**, fatty acid incorporation into phospholipids, 393
 - phospholipid synthesis, 393
 - Bovine, mucus**, cervical, vitamin A content, 321
 - Bovine, pituitary**, polyprenols in, 246
 - Bovine, plasma**, lipid comp, effect of heat exposure, 216
 - Bovine serum albumin**, as lipase activity protector, 369
 - Brain, enzymes** for glycolipid metabolism, 732
 - Brain, baboon**, cholesterol biosynthesis from acetate and glucose, 56
 - Brain, guinea pig**, bile acid metabolism, 651
 - β -hydroxy-5-choleenoic acid in, 767
 - sodium lithocholate 24- $^{\circ}$ C metabolism in, 651
 - Brain, human**, fatty acid comp in fetal, 374
 - phospholipid fatty acid comp, 374
 - Brain, mouse**, fatty acid metabolism, 410
 - ganglioside comp, 436
 - phospholipid metabolism, 410
 - Brain, rat**, cerebroside metabolism, 732
 - cholesterol metabolism, 649
 - lipid metabolism during development, 753
 - "membranous sac" sphingolipids and sphingolipid fatty acid profile, 517
 - phospholipid metabolism, 753
 - Brassicasterol**, acetate formation, 453
 - acetylation, bromination of, 453
 - chromatographic isolation, 453
 - extraction from rapeseed oil, 453
 - hydrogenation, 453
 - isolation from rapeseed oil, 453
 - melting point of derivatives, 453
- C**
- Calanus pacificus**, lipid metabolism, 728
 - Calif, plasma**, cholesterol content, 635
 - Calif, thymus**, fluorescent molecular damage, 199
 - Campestanone**, fecal sterols and bacterial flora, 208
 - Campesterol**, in cottonseed oil deodorizer distillate, 97
 - pigeon skin, 158
 - Cancer**, Ehrlich ascites, total lipid fatty acids, 433
 - Ehrlich ascites carcinoma in mice, 534
 - Canine, bile**, effect of biliary obstruction on lipids, 522
 - Canine, plasma**, effect of biliary obstruction on lipids, 522
 - Cannulation**, of rat bile duct, 459, 466
 - Capelin oil**, effect on rat cardiac lipids, 584
 - Carbonyl value**, thermally oxidized oil, 353
 - Carcinoma**, Ehrlich ascites in mice, 534
 - Carcinoma, adeno, murine mammary**, α -glycerolphosphate dehydrogenase activity, 232
 - Cardiac lipids**, in rats fed marine oils, 584
 - Cardiolipin**, role in ion transport, 717
 - Carnitine**, formation of acetyl carnitine in rat heart, 446
 - inhibition of fatty acid synthesis in rat heart, 446
 - Cations**, stimulation of ion transport by phospholipids, 717
 - Ceca, rat**, role in cholesterol reduction, 658
 - Cell free system**, capable of lipogenesis, 711
 - Centrifugation, differential**, mucus globule membrane isolation, 321
 - Cepaea nemoralis**, phospholipid comp, 759
 - Ceramide**, galactosyl-6- 3 H, prep, 238
 - Ceramide aminophosphonate**, in pulmonate snail, 759
 - Ceramides**, fatty acid profile, from human kidney and cerebellum, 401
 - galactosyl, rat brain "membranous sacs" fatty acid profile, 517
 - glucosyl, role in Krabbe's and Gaucher's disease, 732
 - in fungi, sphingosine bases, fatty acids, 25
 - incorporation of galactose into, rat brain, 732
 - quantitative anal, 401
 - radio chemical decomposition, 238
 - yeast, dihydroxy fatty acids, 325
 - Cereal suspensions**, aqueous lipoxigenase reaction in, 599
 - Cerebellum**, ceramide, fatty acid profile, 401
 - phospholipid fatty acid comp, 374
 - Cerebrins**. See ceramides
 - Cerebroside**, chick sciatic nerve, developmental changes, 235
 - fatty acid incorporation, rat brain, 732
 - in fungi, 745
 - in fungi, sphingosine bases, fatty acids, hexoses, 25
 - metabolism in rat brain, 732
 - See also glycolipids
 - Cerebrum**, phospholipid fatty acid comp, 374
 - Ceroid pigment**, lipid peroxidation products, 183
 - Cetyl pyridinium chloride**, effect on acyl CoA formation, 111, 124
 - Chaetomium cochliodes**, lipid comp, growth medium, 311
 - Chenodeoxycholate**, binoal bile secretion curve, 466
 - non-linearity of decay curve, 459

- Chenodeoxycholic acid**, effect of biliary obstruction in dog, 522
 - See bile acids
- Chick, embryo**, toxicity of oxidized fat, 348
- Chick, sciatic nerve**, developmental changes in myelin, 235
 - egg, fatty acid profile, 675
 - triglyceride fatty acid comp, 385
- Chicken, feces**, sterols and intestinal bacterial flora, 208
- Chlorella emersonii**, effect of AY-9944 on sterol synthesis, 443
 - sterol biosynthesis in, 443
 - sterol comp of, 443
- Chlorella pyrenoidosa**, lipoxigenase activity, 264
- trans-1,4-bis-(2-Chlorobenzylaminomethyl)cyclohexane dihydrochloride**. See AY-9944
- 3-keto-5 β -Cholanoic acid**, metabolism in guinea pig brain, 651
- Cholate**, half-life and pool size in relation to dietary fat, 466
 - turnover in rat, 459
- Cholesterol**, monolayer, with lecithin, 61
 - pigeon skin, 158
- Cholestan-3-one**, monolayer, with lecithin, fatty acid comp, 61
- Cholest-4-ene-3-one**, monolayer, with lecithin, fatty acid comp, 61
- Cholesterol**, absorption and intestinal secretion, effect of dietary fat, 470
 - autooxidation of esters, 17
 - chick sciatic nerve, developmental changes, 235
 - content of rat liver, plasma, effect of diet, 473
 - conversion to bile acids, unsaturated fat effect, 473
 - dietary effect on bile acid metabolism, 466
 - dietary effect on pig serum content, 428
 - effect of ascorbic acid on hydroxylation and oxidation, 482
 - fate of portal injection as influenced by dietary fat, 473
 - free in rat liver, plasma, 470
 - in fungi, 745
 - hydroxybutyrate as precursor for, in brain, 649
 - hydroxylation by microsomes, 482
 - incorporation of precursor by baboon tissues, 56
 - intestinal absorption, inhibition by soy sterols, 40
 - LCAT in bovine plasma, 216
 - metabolism in brain, 649
 - monolayer, instability at high pH, 61
 - monolayer, with PC, PE, 61
 - oxidation, stimulation by unsaturated dietary fat, 473
 - oxidation by mitochondria, 482
 - rat liver, effect of rapeseed oil, 641
 - in rat plasma, effect of diet, 470
 - reduction to coprostanol in rat, 658
 - serum levels, lowering by clofibrate and analogs, 378
 - side chain oxidation, 482
 - synthesis, rat liver, effect of soy sterols, 40
 - synthesis, rat liver, inhibition by dietary cholesterol, 40
 - synthesis, rat, liver, effect of soy sterols, 40
 - synthesis, rat, liver, inhibition by dietary cholesterol, 40
 - total in rat liver, plasma, 470
 - various tissues in scorbutic guinea pigs, 135
- [4- 14 C]-Cholesterol**, use in study of intestinal absorption, rat, 470
- Cholesterol, biosynthesis**, from mevalonate, in rat liver, 284
 - in suckling rats, effect of milk, 284
 - response to dietary cholesterol, 284
- Cholesterol, dietary**, effect on hepatic cholesterol synthesis, 284
- Cholesterol, hepatic**, scorbutic guinea pigs, 135
- Cholesterol, oxidation**, scorbutic guinea pigs, 135
- Cholesterol, plasma**, of suckling, weaned calves, colts, lambs, pigs, 635
- Cholesterol, serum**, feeding effects in pigs, 428
 - lowering by intestinal bacteria, 428
- Cholesterol, scorbutic guinea pigs**, 135
- Cholesterol, turnover**, scorbutic guinea pigs, 135
- Cholesterol biosynthesis**, baboon tissues, effect of fasting, 56
- Cholesterol diet**, comp of, pig feeding, 428
- Cholesterol ester hydrolase**, assay system, 473
 - rat, influence of hypercholesterolemia, 473
- Cholesterol esters**, acyl group and autooxidation of sterol moiety, 17
 - chemical synthesis, 17
 - conversion to bile acids in rat, 473
 - fate of portal injection as influenced by dietary fat, 473
 - in fungi, 745
 - LCAT in bovine plasma, 216
- Cholesterol ether**, absorption, metabolism, rat, 315
- Cholesteryl linoleate**, conversion to bile acids in rat, 473

- Cholesteryl oleate**, conversion to bile acids in rat, 473
- Cholic acid**, effect of biliary obstruction in dog, 522
- Choline**, incorporation into alfalfa leaf lipids, 588
- Choline, dietary**, chylomicron formation, bile fistulated rat, 249
- fat absorption, bile fistulated rat, 249
 - protein synthesis, bile fistulated rat, 249
 - triglyceride synthesis, bile fistulated rat, 249
- 1,2-¹⁴C-Choline**, incorporation into phospholipids, in mammary gland, 393
- effect on rat liver microsomal enzymes, 163
 - fatty acyl Co-A-lysophospholipid acyltransferases, 163
 - rat, liver, fatty acid comp, 163
 - rat liver phosphatidyl choline, 163
- Choline-methionine deficiency**, glycerophosphatide fatty acid profile, 71
- rat liver, ethanolamine metabolism, 71
 - rat liver, phosphatidyl choline metabolism, 71
 - rat liver, phosphatidyl ethanolamine metabolism, 71
- Choline phosphotransferase**, diglyceride specificity, 588
- Chromatography, C. cochliodes fatty acids**, 311
- fatty acid methyl esters, ocean sunfish liver, 21
 - fatty acids, monoenoic isomers, 256
 - glycerides, pig liver, 65
 - rat fecal fatty acids, 53
 - rat liver lipid esters, 342
 - rat liver phosphatides, 71
 - silica gel-sintered plate, 259
- Chromatography, column**, barley lipids, 277
- brain lipids, 517
 - fecal sterols, 208
 - fungal lipids, 745
 - gangliosides, 517
 - *M. xanthus* extracellular lipids, 573
 - oat leaf wax, 617
 - ocean sunfish lipids, 509
 - oxidatively polymerized oil, 353
 - pituitary lipids, 246
 - plant sterols, 97
 - of plant sterols and sterol acetates, 453
 - of prostaglandin A₁, 484
 - prostaglandins, 92, 431
 - rat brain lipids, 732
 - Sephadex G-25, alfalfa leaf lipids, 588
 - Sephadex G-25, gangliosides and precursors, 537
 - silicic acid, gangliosides and precursors, 537
 - of snail lipids, 759
 - soybean lipids, 668
 - tocopherol-lecithin adducts, 31
 - vitamin A analogs, 558
- Chromatography, gas-liquid, A. lumbricoides ovary**, waxes, fatty acids, triglycerides, 303
- acetylenic fatty acids, 627
 - analytical, of long chain polyenoic acids, 480
 - ascarosides and derivatives, 7
 - assay polymers, heated fat, 342
 - barley lipids, fatty acids, 277
 - bile acids of dog, 522
 - bovine plasma lipid methyl esters, 216
 - of brain fatty acids, 374
 - of brassicasterol, 453
 - *C. cochliodes* fatty acids, 311
 - of campesterol, 453
 - capillary, *M. xanthus* extracellular fatty acids, 573
 - dihydroxy fatty acids, 325
 - of β -diketo esters from cyclopropanoic esters, 407
 - fatty acid methyl esters, ocean sunfish liver, 21
 - fatty acids, corn triglycerides, 295
 - fatty acids, monoenoic isomers, 256
 - fecal sterols, 208
 - fungal lipids, 745
 - glycerol thio ether isopropylidenes, 234
 - heated fat, 342
 - of hydroperoxides, 737
 - hydroxy fatty acids, 401
 - jelly fish fatty acids, 509
 - of keto and hydroxy fatty acids, 509
 - labeled esters, 190
 - linolenic acid oxidation products, 606
 - of lipoxigenase reaction products, 599
 - methylglycosides from glycosphingolipids, 154
 - of mouse liver fatty acids, 722
 - oat leaf wax, 617
 - ocean sunfish fatty acids, 509
 - oils, fresh, polymerized, fatty acids, 337
 - oils, polymerized, non-urea adduct, 337
 - oxidatively polymerized oil, toxic fraction, 353
 - paraffin hydrocarbons in earthworms, 489
 - pigeon skin sterols, 158
 - plant sterols, 97, 107
 - preparative, *M. xanthus* extracellular fatty acids, 573
 - preparative, of long chain polyenoic acids, 480
 - rat cardiac lipid fatty acids, 584
 - rat heart lipids, 80
 - rat testicular lipids, 224
 - of sitosterol, 453
 - of snail lipids, 759
 - sphingosine bases, TMS derivatives, 25
 - stigmasterol, 101, 453
 - tocopherol-lecithin adducts, 31
 - triglycerides, pig liver, 65
 - tumor lipid fatty acids, 433
 - vitamin A analogs, 558
- Chromatography, gas-liquid mass spectra**, acetylenic fatty acids, 627
- in anal. of molecular species, 631
 - of cyclopropanoic acids, 407
 - of fatty acid methyl esters, 655
 - of monoacetyldiglycerides, 631
- Chromatography, gel filtration**, tocopherol-lecithin adducts, 31
- *S. aureus* lipase on Sephadex G-200, 549
- Chromatography, ion exchange**, isolation of bile acids, 47
- lactose and galactose, 238
- Chromatography, paper**, gangliosides and precursors, 537
- phenol solvents, glycerophosphoryl ethanolamine instability, 368
- Chromatography, silica gel-silver nitrate**, for separation of prostaglandins, 431
- Chromatography, thin-layer, A. lumbricoides ovarian lipids**, 303
- aldehydes, 612
 - alfalfa leaf lipids, 588
 - ascarosides and derivatives, 7
 - barley lipids, 277
 - benzylidene glycerol, 479
 - benzylidene glyceryl esters, 479
 - of bile acids, 651
 - bile acids, methoxycholestene metabolites, 315
 - bile lipids of dog, 522
 - bovine plasma lipids, 216
 - *C. cochliodes* sterols, 311
 - chick sciatic nerve myelin, 235
 - continuous development system for bile acids, 459
 - corn triglycerides, 295
 - of β -diketo esters from cyclopropanoic esters, 407
 - fecal sterols, 208
 - formation of methyl esters directly on plates, 653
 - fungal lipids, 745
 - gangliosides and precursors, 537
 - glycerol thio ethers, 234
 - glyceryl ethers, 160
 - of hepatoma lipids, 690
 - of hydroperoxides, 599, 737
 - lactosyl ceramide, 238
 - lipoxigenase reaction products, 271
 - ocean sunfish lipids, 509
 - oxidatively polymerized oil, toxic fraction, 353
 - phosphatidylcholine hydrolysis products, 588
 - pituitary lipids, 246
 - plant sterols, 97, 107
 - plasma lipids of dog, 522
 - of prostaglandin A₁, 484
 - prostaglandins, 92, 431, 592
 - rat brain glycolipids, 732
 - rat heart lipids, 80
 - rat liver lipids, 553
 - rat lung lipids, 360
 - rat testicular lipids, 224
 - reaction products, 264
 - reversed phase, silica gel-sintered plate, 259
 - silica gel-sintered plate, 259
 - of snail lipids, 759
 - soybean lipids, 668
 - sphingolipids, 517
 - spray reagents for aldehydes, 612
 - stigmasterol, 101
 - sulfated, non-sulfated bile acids, 47
 - tocopherol-lecithin adducts, 31
 - of triglycerides, 653
 - vitamin A analogs, 558
 - vitamin A and esters, 321
- Chromatography, thin-layer, borate**, ceramides, 517
- Chromatography, thin-layer, silver nitrate**, assay of trans acids, 94
- fecal sterols, 208
 - ³H and ¹⁴C labeled PUFA, 156
 - phosphatidylcholines, 588
 - pigeon skin sterols, 158
 - plant sterols, 107
 - prostaglandins, 166
 - rat testicular lipids, 224
- Chromophores, fluorescent**, conjugated Schiff bases, 183
- from arachidonic acid, 183
 - from docosahexaenoate, 183
 - from malonaldehyde, 183
 - from phosphatidyl ethanolamine, 183
- Chylomicron**, synthesis and release, mucosal cell, 249
- Circadian rhythm**, fatty acid desaturation, liver microsomes, 1
- fatty acid profile, liver microsomes, 1

- Clofibrate, hypolipemic agent, 378
 CMP-sialic acid, separation from gangliosides, 537
 Coconut oil, fatty acid profile, 653
 Cold exposure, acute, effect on free fatty acid metabolism, 142
 Colostrum, cholesterol, total lipid content, 635
 Colt, plasma, cholesterol content, 635
 Column chromatography. See chromatography, column
 Copepoda, lipid metabolism in, 728
 Copper-chromite catalyst, labeling of lipids, 190
 Coprocampestanol, fecal sterols and bacterial flora, 208
 Coprostanol, fecal sterols and bacterial flora, 208
 — from microbiological reduction of cholesterol in rat, 658
 Coprostanone, fecal sterols and bacterial flora, 208
 Coprostigmastanol, fecal sterols and bacterial flora, 208
 Coprostigmastanol, fecal sterols and bacterial flora, 208
 Corn, maturing, triglyceride species, fatty acid profile, 295
 Corn rootworm, lipase in eggs of, 369
 Cotyledons, soybean, fatty acid metabolism in, 668
 Curculio caryae, lipid comp, 657
 Cutin, apple, 18-oxo-9,10-epoxystearic acid in, 90
 Cyclic 3',5'-adenosine monophosphate, lipolytic response and parathion, 43
 Cycloheximide, fatty liver induction in the rat, 503
 — liver microsomal fatty acid desaturase, 1
 Cytochrome c reductase, in peroxidized microsomal membrane, 177
 Cytoplasm, rat, liver, fatty acid synthesis, 711
- D**
- Decomposition, radiochemical, lactoyl-6-³H-ceramide, 238
 Denaturation, thermal, profile, calf thymus DNA, 199
 Deodorizer distillate, source of sterols, 97
 Deoxycholate, separation by TLC, 459
 Deoxycholate, sodium, effect on acyl CoA formation, 111, 124
 Deoxycholic acid, effect of biliary obstruction in dog, 522
 Deoxyribonuclease, degradation of DNA, 199
 Desaturase, fatty acid, in alfalfa leaf, 588
 — liver microsomes, assay, circadian rhythm, cycloheximide, 1
 Detergents, effect on acyl CoA formation, 119, 124
 Detergents, anionic, effect on acyl CoA formation, 111
 Detergents, cationic, effect on acyl CoA formation, 111
 Detergents, nonionic, effect on acyl CoA formation, 111
 Deuterolysis, with LiAlH₄, of apple cutin fatty acids, 90
 Diabrotica undecimpunctata howardi, lipase in eggs of, 369
 Diacyl glycerols, glycerol and linoleic acid incorporation, EFA-deficient rat liver, 85
 Dialysis, removal of water soluble precursors from gangliosides, 537
 Diet, comp of, chickens, 385
 — effect on cholesterol absorption in rat, 470
 — effect on egg yolk lipid comp, 682
 — effect on fatty acid synthesis in cell free system prepared from rat liver, 711
 — effect on hepatic cholesterol synthesis, 284
 — effect on pig serum cholesterol, 428
 — effect on triglyceride fatty acid in egg yolk, 385
 — fatty acid profile of rat heart, 241
 — in rat, effect on bile acid metabolism, 466
 — of laying hens, 675
 — rat, effect of unsaturated fat on cholesterol absorption, 470
 Diet, fat free, effect on triglyceride fatty acid in egg yolk, 385
 Diet, rat, effect on cholesterol and bile acid metabolism, 473
 — rapeseed oil supplement, 641
 Diglycerides, in fungi, 745
 — metabolism in mouse brain, 410
 — monoacyl derivatives, use in anal of molecular species, 631
 1,3-Diglycerides, in egg yolk, fatty acids in, 385
 22,23-Dihydrobrassicasterol, purification on AgNO₃ silica gel columns, 453
 Dihydroxy acetone phosphate, in murine mammary tissue and tumors, 232
 Dihydroxycholic acid. See bile acids
 erythro-11,12-Dihydroxy-1-octadecanol, synthesis of, 737
 threo-11,12-Dihydroxy-1-octadecanol, synthesis of, 737
 Dimide, labeling of lipids, 190
 β -Diketo esters, GLC of β -diketo esters, characterization by GLC mass spectrometry, 407
 Dimers, polymerized oil, toxicity, structure, 353
 4 α ,14 α -Dimethyl-24S-stigmast-8-en-3 β -ol, in *C. emersonii*, 443
 Dimorphothetica sinuata, lipoxygenase, products, 271
 9,11-Dioxononadecanoic acid, methyl ester, characterization by GLC mass spectrometry, 407

LIPIDS, VOL. 8, NO. 12

- Diphosphatidyl glycerol, in hepatoma cells, 702
 — in pulmonate snail, 759
 Disiamylborane, labeling of lipids, 190
 DNA, calf thymus, fluorescent molecular damage, 199
 Docosahexaenoate, methyl, fluorescent chromophore, 183
 Docosenoic acid, in rat cardiac lipids, 584
 Dog, free fatty acid metabolism, 142
 Dog, bile, effect of biliary obstruction on lipids, 522
 Dog, pancreatized, free fatty acid metabolism, 142
 Dog, plasma, effect of biliary obstruction on lipids, 522
 Dog, thyroidectomized, free fatty acid metabolism, 142
 Dolichol. See polyphenols
 Dolphins, atlantic bottlenose, lipid comp of jaw fat, 661
 Drosophila melanogaster, glyceryl ethers in tumor lipids, 160
 Duck, egg, fatty acid profile, 675

E

- Earthworms, n-alkanes, 489
 — n-alkylcyclohexanes, 489
 — isoprenoid hydrocarbons, 489
 — monomethyl n-alkanes, 489
 — paraffinic hydrocarbon profile, 489
 E.C. 1.13.1.13. See lipoxigenase
 E.C. 3.1.1.3. See lipase
 E.C. 3.1.1.5. See lysophospholipase
 Egg, fatty acid profile of yolk in avian species, 675
 Egg, chicken, triglyceride fatty acid comp, 385
 Egg, insect, lipase in, 369
 Egg, yolk, effect of diet on lipid comp, 682
 — fatty acid profile of triglycerides and phospholipids, 675
 — lipid comp in avian species, 675
 — lipid comp in turkey, 682
 — lipoproteins, effect of oxidation on, 623
 — lipoproteins, fatty acid profile, 623
 — lipoproteins, immunochemical properties, effect of oxidation, 623
 — lipoproteins, spectral properties, effect of oxidation, 623
 — menhaden oil, effect on fatty acid comp, 385
 — polar lipids, fatty comp, 385
 — positional distribution of fatty acid in, 675
 — relation of lipids to embryo nutrition, 682
 — synthesis of triglycerides, effect of diet, 385
 — triglyceride, effect of diet, 385
 — triglyceride fatty acid comp, 385
 — triglycerides, positional distribution of fatty acids in, 385
 Egg yolk lipoproteins, lipid comp, 623
 Eggs, A. lumbricoides, ascarosides and derivatives, 7
 Ehrlich ascites carcinoma, lipid fatty acids and tumor growth, 433
 — metabolism of 9,10-³H-palmitate, 534
 Eicosenoic acid, in liver lipid after rapeseed oil feeding, 641
 6-Eicosynoic acid, in *Alvaradoa amorphoides* seeds, 627
 Elaidate, acyl CoA formation by microsomes or mitochondria, 111
 Electron microscopy, of intestine during fat absorption, 249
 Electrophoresis, of egg yolk lipoproteins, 623
 Electrophoresis, high voltage, gangliosides and precursors, 537
 Electrophoresis, polyacrylamide gel, lipoxigenase, *D. sinuata*, 271
 Elementary analysis, of sn-glycerol-cyclic-phosphodi-esters, 289
 Embryo, chick, toxicity of oxidized fat, assay, 348
 Endoplasmic reticulum, effect of autoxidized safflower oil, 566
 Entomophthora coronata, lipid comp, 745
 Environmental pollution, acute toxicity of flotation agents, 493
 Enzymes, bacteria, *S. aureus* lipase, 549
 Enzymes, microsomal, in liver of choline deficient rat, 163
 Enzymes, serum, rats fed autoxidized safflower oil, 566
 Epinephrine, lipolytic response and parathion, 43
 18-oxo-9,10-Epoxyoctadecanoic acid, hydrogenolysis, deuterolysis, oxidation, 90
 — in apple cutin, 90
 — mass spectra of derivatives, 90
 Equivalent chain length, 7-methyl-7-hexadecenoic acid, methyl ester, 21
 5,22-Ergostadien-3 β -ol. See brassicasterol
 Ergosterols, in *C. emersonii*, 443
 Erucic acid, effect on fatty acid comp of liver lipids, 641
 — in rapeseed oil, effect on liver lipids, 641
 — preferential incorporation into 2-position of phospholipids, rat liver, 641
 Erythrocyte, phospholipase action on, 415
 Erythrocyte, baboon, cholesterol biosynthesis from acetate and glucose, 56

- (+)-Erythro-2,3-dihydroxyhexacosanoic acid, ceramides, 325
 — *S. cerevisiae*, 325
 — TLC, GLC, 325
Essential fatty acids, deficiency, glycerolipid biosynthesis rat liver, 85
Ethanol, effect on fatty acid comp, mouse liver, 722
 — fatty liver induction in the rat, 503
 — lipid peroxidation in rat liver, 498
 — rat liver enzymes, 498
Ethanolamine, metabolism, choline-methionine deficiency, 71
 1,2-¹³C-Ethanolamine, incorporation into phospholipids, in mammary gland, 393
Ethers, glyceryl, *D. melanogaster* tumor lipids, 160
 — in murine mammary tissue and tumors, 232
 — mouse tumor lipids, 160
Ethers, thio, glycerol, in human heart, 234
Ethionine, fatty liver induction in the rat, 503
Ethyl 1,4-benzodioxane-2-carboxylate, hypolipemic agent, 378
Ethyl 6-chlorochroman-2-carboxylate, hypolipemic agent, 378
Ethyl 5-chloro-2,3-dihydro-2-benzofurancarboxylate, hypolipemic agent, 378
Ethyl D,L-(4-chlorophenoxy)propionate, hypolipemic agent, 378
Ethyl chroman-2-carboxylate, hypolipemic agent, 378
Ethyl 2-methyl-(4-chlorophenoxy)propionate, hypolipemic agent, 378
Exercise, effect on free fatty acid metabolism, 142
- F**
- Farber's disease**, ceramide accumulation in, 401
 — fatty acid profile of accumulated ceramide, 401
 — hydroxy fatty acids in, 401
Fasting, tissue cholesterol biosynthesis, 56
Fat, absorption, biliary phospholipids, 249
 — dietary, saturation, influence on bile acid turnover, 466
 — unsaturated, effect on cholesterol absorption, 470
 — uptake by liver and adipose tissue, 249
Fat, dietary, body weight, life span, 329
 — heated degree of polymerization, dtmn, 342
 — heated, dietary, metabolism, 1-¹⁴C-acetate, rat liver, 342
 — oxidized, dietary, rat life span, lesions, heart liver, 329
 — oxidized, inhibition of alkaline phosphatase, 348
 — oxidized, nutritive value, toxicity, evaluation, 348
Fat, peroxide value, toxicity, 348
Fat absorption, by everted intestinal sacs, 249
 — in bile fistulated rat, 249
Fat Red 7 B, dye uptake into lipoproteins, 378
Fatty acid desaturation, liver microsomes, assay, 1
 — liver microsomes, cycloheximide, 1
Fatty acid profile, *A. lumbricoides* ovarian glycerides, 303
 — *A. lumbricoides* ovarian waxes, 303
 — *Alvaradoa amorphoides*, 627
 — barley embryo lipids, 277
 — of brain, fetal, 374
 — of brain phospholipids, 374
 — *C. cochliodes* lipids, 311
 — of culture media, 690
 — dolphin jaw fat, 661
 — egg yolk, 385
 — egg yolk lipoproteins, 623
 — in Ehrlich ascites tumor, 433
 — fat, fresh and heated, 342
 — of fetal brain, various regions, 374
 — in free ceramides from human kidney and cerebellum, 401
 — of fungi and fungal lipids, 745
 — glycerol thioethers from human heart, 234
 — of hepatoma cells, 690
 — hepatoma lipids, 702
 — of hepatoma phospholipids, 690
 — jelly fish polar lipids, 509
 — jelly fish triglycerides, 509
 — liver lysosomal bis-(monoacylglyceryl)-phosphate, 531
 — maturing corn triglycerides, 295
 — microsomes, mouse, 722
 — mitochondria, mouse, 722
 — mouse liver, circadian rhythm, 1
 — mouse liver, mitochondria, microsomes, 722
 — *Myxococcus xanthus*, 573
 — neutral lipids, rat liver, 641
 — ocean sunfish intestinal contents, liver triglyceride, 509
 — ocean sunfish white muscle lipid comp, 509
 — oils, fresh, polymerized, 337
 — oxidatively polymerized oil, toxic fraction, 353
 — pecan weevil, 657
 — of phospholipid, culture media, 690
 — of phospholipids in fetal brain, 374
 — phospholipids, rat liver, 641
 — polar lipids from egg yolk, 385
 — of pulmonate snail, 759
 — rat brain "membranous sac" sphingolipids, 517
 — rat fecal lipids, intestinal contents, 53
 — rat heart, age, diet, 241
 — rat heart lipids, alcoholism, 80
 — rat liver, rapeseed oil diet, 641
 — rat liver cholesterol esters, 473
 — rat liver phosphatides, choline-methionine deficiency, 71
 — rat milk lipids, 241
 — rat testicular lipids, 224
 — of *Saccharomyces fragilis*, 655
 — soybean phospholipids, 668
 — of sarcoplasmic reticulum phospholipids, 441
 — triglycerides from egg yolk, 385
 — turkey, heart, liver, egg yolk diet, 682
 — yeast, 655
Fatty acid synthetase, levels in rat and pigeon liver, 595
Fatty acids, acetate incorporation in soybeans, 668
 — aerobic metabolism, soybeans, 668
 — anaerobic metabolism, soybeans, 668
 — in avian species, 675
 — cardiac, deposition of dietary monoenoic isomers, 256
 — cardiac, monoenoic isomers, *cis* and *trans*, 256
 — cardiac, β -oxidation of monoenoic isomers, 256
 — cholesterol ester, acyl chain and autooxidation of sterol, 17
 — desaturation in soybeans, 668
 — dtmn in 3-position of triglycerides, 439
 — effect of diet on synthesis in cell free system prepared from rat liver, 711
 — in egg yolk lipids, turkey, 682
 — in egg yolk of avians, 675
 — in egg yolk phospholipids, triglycerides, 675
 — fecal, argentation TLC, 53
 — formation of methyl esters on thin layer plates, 653
 — incorporation into phospholipids by mammary gland, 393
 — of lecithin, effect on monolayer formation with steroids, 61
 — in lipids of copepods metabolism, 728
 — lipoxigenase reaction products in cereals, 599
 — metabolism in Ehrlich ascites cells, 433
 — metabolism in mitochondria, 711
 — metabolism in mouse brain, 410
 — metabolism in mouse liver, effect of ethanol, 722
 — metabolism in rat liver, effect of rapeseed oil, 641
 — metabolism in soybean cotyledons, 668
 — net increase in tumor growth, 433
 — nonhydroxy, in free ceramides from human kidney and cerebellum, 401
 — in ocean sunfish liver, 21
 — of pecan weevil during growth, 657
 — polyenoic, of human testes, 480
 — position distribution in triglycerides, 675
 — positional distribution, corn triglycerides, 295
 — saturated, intestinal absorption, rat, 53
 — saturated, rat fecal lipids, 53
 — straight chain, in sphingolipids from fungi, 25
 — synthesis, inhibition by carnitine in rat heart, 446
 — synthesis, rat and pigeon liver enzymes, 595
 — synthesis by cell free system, 711
 — synthesis from ¹⁴C-U-alanine, 711
 — thermal decomposition of hydroperoxides, 737
 — volatile, *A. lumbricoides* ovarian lipids, 303
 — of yeast, effect of growth media on comp, 655
Fatty acids, acetylenic, in *Alvaradoa amorphoides* seeds, 627
Fatty acids, activation, by microsomes, 111
 — by mitochondria, 111
 — formation of acyl CoA derivatives, 111
Fatty acids, branched chain, in dolphin jaw fat, 661
 — *Myxococcus xanthus*, 573
Fatty acids, cyclopropanoic, anal by infrared, 407
 — characterization by GC-MS of β -diketo esters, 407
 — in *Paronia sepium* seed oil, 407
 — separation of *C₁₈* and *C₂₀* esters, countercurrent distribution, 407
Fatty acids, dihydroxy, ceramides, yeast, 325
Fatty acids, epoxy, in apple cutin, 90
 — in lipoxigenase reaction, 606
Fatty acids, essential, deficiency in rat, 85, 156
 — pyridoxine deficiency, 151
Fatty acids, free, albumin complex in transport, 534
 — in cereal flour, 599
 — in fungi, 745
 — in oat leaf wax, 617
 — metabolism during acute cold exposures, 142
 — metabolism during anaphylactic shock, 142
 — metabolism during exercise, 142
 — metabolism during stress, 142
 — metabolism in copepods, 728

- metabolism in mouse brain, 410
- mobilization, 142
- relation to net total lipid fatty acid accumulation, 433
- Fatty acids, hydroxy**, anal by GLC and TLC, 599
 - formation by lipoxygenase, 599
 - from oxidation of linolenic acid by lipoxygenase, 606
 - in free ceramides from human kidney and cerebellum, 401
 - in sphingolipids from fungi, 25
 - infrared and mass spectra, 606
- Fatty acids, keto**, anal by GLC and TLC, 599
 - formation by lipoxygenase, 599
 - from oxidation of linolenic acid by lipoxygenase, 606
 - in apple cutin, 90
- Fatty acids, methyl esters**, mass spectra, 655
 - prep on thin layer plates, 653
 - transmethylation, 653
- Fatty acids, monoenoic**, *cis, trans*, hydrogenated herring oil, 256
 - cis, trans*, rat heart, 256
 - fractionation, GLC, argentation TLC, 256
 - isomers in milk, possible origin, 94
 - isomers in ox perinephric fat, 94
 - structure, microanalysis, 256
- Fatty acids, polyunsaturated**, in human brain, 374
 - in mouse liver, effect of ethanol on, 722
 - of human testes, isolation and characterization, 480
- Fatty acids, trans**, assay by IR and argentation TLC, 94
 - isomers in ox perinephric fat, 94
 - monoenoic isomers, rat heart, herring oil, 256
- Fatty acids, unsaturated**, bihydrogenation, rat intestine, 53
 - in rabbit muscle phospholipids, 441
 - intestinal absorption, rat, 53
 - lipoxygenase reaction, reaction products, 599
 - liver effect of rapeseed oil feeding, 611
 - metabolism in soybeans, 668
 - rat fecal lipids, 53
- Fatty alcohol profile**, dolphin jaw fat, 661
- Fatty alcohols, branched chain**, in dolphin jaw fat, 661
- Fatty aldehyde profile**, rat heart lipids, alcoholism, 80
 - autooxidation on silica, 129
- Fecal lipids**, rat, argentation TLC, 53
 - rat, fatty acid profile, 53
- Fatty liver**, induced by cycloheximide, ethanol, ethionine, orotic acid, D-galactosamine, 503, 553
- Feces, chicken**, sterols and intestinal bacterial flora, 208
- Feces, man**, sterols and intestinal bacterial flora, 208
- Feces, pigeon**, sterols and intestinal bacterial flora, 208
- Feces, rat**, bile acids after adrenalectomy, 170
 - lipids after adrenalectomy, 170
- Fish, ocean sunfish and jelly fish**, 509
- Fish, salmon**, acute toxicity of alkylhydroxamic acids, 493
- Fish oils, anchovy**, effect on cardiac lipids in rats, 584
- Fish oils, capelin**, effect on cardiac lipids in rats, 584
- Fish oils, herring**, effect on cardiac lipids in rats, 584
- Flotation agents**, acute toxicity in salmon fry, 493
- Fluorescence**, conjugated Schiff bases, 194, 203
 - DNA peroxidized arachidonate, 199
 - versus thiobarbituric acid reactants, 203
- Folch partitioning**, gangliosides and precursors, 537
- Free fatty acids**, hepatic, in adrenalectomized rat, 170
 - mouse liver microsomes, circadian rhythm, 1
 - serum, in adrenalectomized rat, 170
- Fry, salmon**, acute toxicity of alkylhydroxamic acids, 493
- Fungi**, culture media, 745
 - fatty acid profile, 745
 - germination inhibitor from *M. xanthus*, 573
 - lipid comp, 745
 - sphingolipids, bases, fatty acids, hexoses, 25
- Fungistat**, germination inhibitor from *M. xanthus*, 573
- Fusarium**, germination inhibitor from *M. xanthus*, 573
- Fusarium lini**. See fungi
- co-precipitation with bovine serum albumin, 537
- in brain of myelin synthesis deficient mice, 436
- quantitative anal of, 436
- rat brain "membranous sacs" fatty acid profile, 517
- removal of water soluble precursors, 537
- TLC of, 436
- Gas-liquid chromatography**. See chromatography, gas-liquid
- Gastrocnemius, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Gastrointestinal tract, rat**, cholesterol reduction in, 658
- Gaucher's disease**, etiology, 732
- Gel filtration**, sulfated, non-sulfated bile acids, 47
- Geotrichum candidum**, lipase, triglyceride hydrolysis, *trans acids*, 323
- Geranoate, dibomo**, inhibition of acyl CoA formation, 111
- Globoid cell leukodystrophy**, glycosphingolipids, 154
- Globoside**, globoid cell leukodystrophy, 154
- Glucose**, in sphingolipids from fungi, 25
- [2-¹⁴C]-Glucose**, conversion to cholesterol in brain, 649
- U-¹⁴C-Glucose**, incorporation into tissue cholesterol, 56
- Glucose, UDP**, separation from gangliosides, 537
- Glucose-6-phosphatase**, in peroxidized microsomal membrane, 177
- Glycosylceramide**, globoid cell leukodystrophy, 154
 - rat brain "membranous sacs" fatty acid profile, 517
- Glutamic oxaloacetic transaminase**, serum, of rats fed autoxidized safflower oil, 566
- Glutamic pyruvic transaminase**, serum, of rats fed autoxidized safflower oil, 566
- Glutathione, reduced**, in rat liver after ethanol intoxication, 498
- Glutathione peroxidase**, in rat liver after ethanol intoxication, 498
- Glutathione reductase**, in rat liver after ethanol intoxication, 498
- Glycerides, A. lumbricoides ovary**, fatty acid profile, 303
 - metabolism in mouse brain, 410
- Glycerol**, isolation, assay, 360
- ³H-Glycerol**, incorporation in glycerolipids, EFA-deficient rat liver, 85
- U-¹⁴C-Glycerol**, incorporation into mammary gland phospholipids, 393
- Glycerol ester hydrolase**. See lipase, pancreatic
- sn-Glycerol-cyclic-phosphodiester**, synthesis, physical properties, 289
- Glycerol ethers, thio**, in human heart, 234
- Glycerolipids**, biosynthesis, EFA-deficient rat liver, 85
- α -Glycerolphosphate**, in murine mammary tissue and tumors, 232
- α -Glycerolphosphate dehydrogenase**, in murine mammary tissue and tumors, 232
- Glycerophosphoryl ethanolamine**, paper chromatography, heat denaturation, 366
- Glyceryl ethers, D. melanogaster tumor lipids**, 160
 - in murine mammary tissue and tumors, 232
 - mouse tumor lipids, 160
- Glycolipids**, fatty acid incorporation, rat brain, 732
 - globoid cell leukodystrophy, 154
 - in fungi, 745
 - metabolism in brain, 649
 - metabolism in rat brain, 732
 - metabolism in soybean cotyledons, 668
 - see also ceramides, cerebrosides, gangliosides
 - unidentified in rat brain, 732
- Glycone**, ascarosides, *A. lumbricoides*, ovaries, egg, 7
 - isolation from ascarosides, 7
- Glycosidases**, role in Krabbe's and Gaucher's diseases, 732
- Glycosides, methyl**, GLC, 154
- Glycosphingolipids**, globoid cell leukodystrophy, 154
 - purification of gangliosides, 537
- Grignard reagent**, use in stereospecific anal of triglycerides, 439
- Guinea pig, brain**, 3 β -hydroxy-5-cholenic acid in, 767
 - sodium lithocholate 24-¹⁴C metabolism in, 651
- Guinea pig, liver**, ascorbic acid levels, 135
 - effect of ascorbic acid on cholesterol metabolism, 482
- Guinea pigs, scorbutic**, bile acid formation, 135
 - cholesterol, 135

G

- Galactolipids**, metabolism in mouse brain, 410
- Galactosamine**, fatty liver induction in the rat, 553
- Galactosamine**, UDP-N-acetyl, separation from gangliosides, 537
- Galactose**, in sphingolipids from fungi, 25
 - incorporation into rat brain lipids, 732
- Galactose, UDP**, separation from gangliosides, 537
- Galactose oxidase**, in prep of ³H labeled cerebrosides, 238
- Galactosidase, β -D-galactosylceramide**, 154
- β -Galactosidase**, in Krabbe's disease, 238
- Glycosylceramide**, globoid cell leukodystrophy, 154
 - rat brain "membranous sacs" fatty acid profile, 517
- Galactosyl-6-³H-ceramide**, prep, 238
- Gangliosides**, acid hydrolysis, 238

LIPIDS, VOL. 8, NO. 12

H

- Heart, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Heart, man**, glycerol thioethers, 234
- Heart, mitochondria**, phospholipids of, 717
- Heart, rat**, acetyl carnitine formation, 446
- diet, monoenoic fatty acid isomers, 256
- effect of feeding marine oils, 581
- fatty acid profile, age, diet, 241
- fatty acid profile, alcoholism, 80
- fatty acid synthesis, 446
- lesions, oxidized dietary fat, 329

- Heart, turkey, fatty acid profile, 682**
Heat exposure, LCAT in bovine plasma, 216
Hematoid, globoid cell leukodystrophy, 154
Hepatoma cells, cultured, effect of media lipids on
 — growth, 690
 — effect serum lipids on lipids of, 690
 — fatty acid profile, 690, 702
 — growth media, 690
 — lipid comp, 690, 702
 — lipid extraction, 690
 — lipids excreted to media, 690
 — media lipids, effect on lipid metabolism, 702
 — metabolism of lipids of, 690
 — neutral lipid comp, 690
 — phospholipid comp, 690, 702
Hepatotoxins, autoxidized safflower oil, 566
 — D-galactosamine, 553
 — in rat, ethanol, ethionine, orotic acid, cycloheximide, 503
Hepatobiliary diseases, bile acids, sulfated, 47
n-Heptanol, inhibitor of *S. aureus* lipase, 549
Herring oil, effect on rat cardiac lipids, 584
Herring oil, hydrogenated, monoenoic fatty acid isomers, 296
1,16-Hexacosanediol, in oat leaf wax, 617
Hexadecanoic acid, 15-methyl-, *M. xanthus*, 573
Hexadecenoic acid, 7-methyl-, in ocean sunfish, 509
Hexadecenoic acid, 15-methyl-, *M. xanthus*, 573
Hexadecenoic acid, trans-6, in ocean sunfish, 509
 — in ocean sunfish liver lipids, 21
Hexoses, in sphingolipids from fungi, 25
Hordeum vulgare, See barley
Human, brain, fatty acid comp in fetal, 374
 — phospholipid fatty acid comp, 374
Human, feces, sterols and intestinal bacterial flora, 208
Human, heart, glycerol thioethers, 234
Human, kidney, glycosphingolipids, globoid cell leukodystrophy, 154
Human, liver, fatty acid profile of bis-(monoacylglyceryl)-phosphate, 531
 — galactosylceramide β -D-galactosidase, 154
 — glycosphingolipids, globoid cell leukodystrophy, 154
Human, mucus, nasal, bronchial, vitamin A content, 321
Human, platelets, synthesis of prostaglandins, 592
Human, pituitary, polyprenols in, 246
Human, seminal plasma, prostaglandins extraction from, anal, 431
Human, testes, polyenoic acids of, 480
Hydrocarbons, n-alkanes, in earthworms, 489
 — n-alkylcyclohexanes, in earthworms, 489
 — isoprenoid, in earthworms, 489
 — monomethyl n-alkanes, in earthworms, 489
 — in oat leaf wax, 617
 — paraffinic, in earthworms, 489
 — toxicity, 348
Hydrogen (tritium), labeling of lipids, 190
Hydrogenation, catalytic, in identification of polyenoic acids, 480
 — of brassicasterol, 453
 — stigmasterol, various catalysts, 101
Hydrogenolysis, catalytic, in the synthesis of *an*-glycerol-cyclic-phosphodiester, 289
 — with LiAlH_4 , of apple cutin fatty acids, 90
Hydrolysis, alkaline, phosphate products, chromatography, instability, 366
Hydroperoxides, anal by TLC, GLC, 599
 — chromatographic anal, 737
 — formation in lipoxygenase reaction, 599
 — mass spectra, infrared spectra, 737
 — thermal decomposition, 737
Hydroperoxy octadecadienoic acid, lipoxygenase reaction product, 264, 271
 — mass spectra, 264
13L-Hydroperoxy-9,11-octadecadienoic acid, purification of, lipoxygenase products, 737
 — thermal breakdown of, 737
Hydroxamic acids, alkyl, acute toxicity in salmon fry, 493
 — synthesis, 493
Hydroxy diketones, in oat leaf wax, 617
3-Hydroxy sterols, excretion into rat gut, 470
[$^3\text{-}^{14}\text{C}$]D(-)-3-Hydroxybutyrate, conversion to cholesterol in brain, 649
3 β -Hydroxy-5-cholenic acid, in guinea pig brain, 767
3 β -Hydroxy-5-cholenic acid, mass spectra, 767
11-Hydroxy-12,13-epoxy-9-octadecenoic acid, formation by thermal oxidation, 737
Hydroxyl groups, in aglycone, reduction as mesitylate, 7
Hydroxylamine, acute toxicity in salmon fry, 493
Hydroxyoctadecadienoic acid, lipoxygenase reaction product, 271
4-Hydroxyoctadecaphinganine, sphingolipids from fungi, 25
12-Hydroxystearic acid, cholesterol ester, autooxidation of sterol moiety, 17
 — cholesterol ester, synthesis, 17
Hymenolepis nana, production of phospholipase in mouse intestine by, 415
Hymenolepis nana infection, effect on intestinal phospholipase, 426
Hypercholesterolemia, rat, bile acid output after cholesterol injection, 473
Hyperchromicity, calf thymus DNA, 199
Hypertriglyceridemia, induced by Triton WR 1339, 503
Hypocholesterolemia, induced by clofibrate and analogs, 378
Hypolipemia, induced by clofibrate and analogs, 378
Hypophysectomy, effect on rat testicular lipid metabolism, 224
Hypotriglyceridemia, induced by clofibrate and analogs, 378
- I**
- Immunoelectrophoresis, of egg yolk lipoproteins, 623**
Incubation medium, for studies of brain glycolipids, 732
Infantile globoid leukodystrophy, See Krabbe's disease
Inhibitors, of *S. aureus* lipase, 549
 — polymerization in oils, 337
Insect, tumors, glyceryl ethers, 160
Insects, lipase in eggs of, 369
Intestinal absorption, cholesterol, inhibition by soy sterols, 40
 — rat, fatty acids, 53
Intestinal bacteria, effect on pig serum cholesterol content, 428
Intestinal sacs, everted, fat absorption, 249
Intestinal wall, rat, phospholipid content after adrenalectomy, 170
Intestine, bacterial flora and fecal sterols, 208
 — secretion of cholesterol by in rat, 470
Intestine, baboon, cholesterol biosynthesis from acetate and glucose, 56
Intestine, mouse, phospholipase and infection by *H. nana*, 426
 — phospholipase of, 415
Intestine, pig, bacterial in, effect on serum cholesterol, 428
Intestine, rat, cholesterol synthesis from acetate, dietary sterols, 40
 — electron microscopy, 249
 — protein synthesis, bile fistulated rat, 249
 — triglyceride synthesis, 249
Isobutyric acid, in jaw fat of dolphins, 661
Isobutyric acid, *M. xanthus*, fungistatic activity, 573
Isovaleric acid, in jaw fat of dolphin, 661
- J**
- Jelly fish, fatty acid profile, 509**
- K**
- Ketones, inhibitors of *S. aureus* lipase, 549**
Ketones, di, in oat leaf wax, 617
Kidney, ceramide, fatty acid profile, 401
Kidney, baboon, cholesterol biosynthesis from acetate and glucose, 56
Kidney, human, glycosphingolipids, globoid cell leukodystrophy, 154
Krabbe's disease, etiology, 732
 — glycosphingolipids, 154
- L**
- Labeling, of lipids, techniques, 190**
Lactate, sodium, free fatty acid metabolism, 142
Lactosylceramide, globoid cell leukodystrophy, 154
 — rat brain "membranous sacs" fatty acid profile, 517
Lactosyl-6-H-ceramide, radio chemical decomposition, 238
Lamb, plasma, cholesterol content, 635
Lauryl sulfate, sodium, effect on acyl CoA formation, 111
Lecithin, See phosphatidyl choline
Lecithin, soybean, oxidized tocopherol adduct, formation, characterization, 31
Leukodystrophy, globoid cell, glycosphingolipids, 154
Lindlar catalyst, labeling of lipids, 190
Linoleate, acyl CoA formation by microsomes or mitochondria, 111
Linoleate, acyl CoA formation by microsomes or mitochondria, 111
Linoleic acid, biohydrogenation, rat intestine, 53
 — ^{14}C incorporation in EFA deficient rats, 156
 — cholesterol ester, autooxidation of sterol moiety, 17
 — conversion to hydroperoxide by lipoxygenase, 737
 — desaturation in phosphatidylcholine, 588
 — in egg yolk triglycerides, 385
 — intestinal absorption, rat, 53
 — lipoxygenase reaction in cereals, 599

- 1-¹⁴C-Linoleic acid**, incorporation in glycerolipids, EFA-deficient rat liver, 85
 — metabolism in rat testes after hypophysectomy, 224
- Linoleic acid, trans isomers**, triglyceride hydrolysis, lipase, *G. candidum*, 323
- Linolenate**, acyl CoA formation by microsomes or mitochondria, 111
- Linolenic acid**, cholesterol ester, autoxidation of sterol moiety, 17
 — enzymic oxidation in wheat flour suspension, 606
 — lipoxigenase reaction in cereals, 599
 — synthesis from linoleic acid, 588
- Lipase**, activity versus acyl chain length, 369
 — effects of Triton X-100 and bovine serum albumin on, 369
 — from insect eggs, characterization, 369
 — isolation and purification from *S. aureus*, 549
 — mechanism of albumin activation, 369
 — positional specificity, C¹⁴ triolein hydrolysis, 369
 — *S. aureus*, inhibition by alcohols, 549
- Lipase, G. candidum**, hydrolysis, triglycerides, trans isomers, 323
- Lipase pancreatic**, use in stereospecific anal of triglycerides, 439
- Lipase, porcine pancreatic**, hydrolysis of octadecenoate isomers, 45
- Lipid extraction**, from copepods, 728
 — from cultured hepatoma cells, 690
 — from Ehrlich ascites cells, 433
 — from fungi, 745
 — from serum, 690
 — from yeast, 655
 — lipoxigenase reaction products, 599
 — prostaglandins from plant tissue, 484
 — soybeans, 668
- Lipid peroxidation**, in rat liver after ethanol intoxication, 498
- Lipidosis**, cardiac, in rats fed marine oils, 584
 — Farber's disease, fatty acid profile of accumulated ceramide, 401
- Lipids**, comp in egg yolk, 675
 — of copepods, 728
 — in culture media, 690
 — of egg yolk lipoproteins, 623
 — germinating barley embryo, 277
 — metabolism in brain, 649
 — of oat leaf wax, 617
 — of pecan weevil during growth, 657
 — of pulmonate snail, comp, 759
 — of yeast, 655
 — rat lung, incorporation of ¹⁴C-pyruvate, 360
 — TLC, silica gel-sintered plate, 259
- Lipids, neutral, A. lumburicoides** ovar, 303
 — rat heart, fatty acid profile, 241
- Lipids, plaitary**, human, bovine, chromatography, 246
- Lipids, polar**, rat heart, fatty acid profile, 241
- Lipofuscin**, hepatic, in rats fed autoxidized safflower oil, 566
 — lipid peroxidation products, 183
- Lipogenesis**, in cell free system, rat liver, 711
- Lipogranulomatosis**. See Farber's disease
- Lipolysis**, cyclic AMP induced, parathion, 43
 — epinephrine induced, parathion, 43
 — inhibition by nicotinic acid, parathion, 43
 — rat adipose tissue cell and parathion, 43
 — triglycerides, trans isomers, lipase, *G. candidum*, 323
 — triglycerides containing octadecenoate positional isomers, 45
- Lipolysis, intestinal**, after adrenalectomy, 170
- Lipoproteins**, dog plasma, 522
 — egg yolk, effects of oxidation on, 623
 — electrophoresis pattern, modification by clofibrate and analogs, 378
 — electrophoresis pattern, modification by Triton WR-1339, 378
- Lipoxigenase**, action on linolenic acid, 606
 — anal of reaction product, 599
 — in *Chlorella pyrenoidosa*, 264
 — *D. sinuata*, reaction products, pH dependence, 271
 — electrophoresis, polyacrylamide gel, 271
 — extraction from cereal flour, 599
 — isolation, ammonium sulfate fractionation, 264, 271
 — methylation of reaction products, 599
 — nonvolatile reaction products anal by gas chromatography, 599
 — products of reaction with linolenic acid, 606
 — reaction mechanism, 606
 — reaction products, TLC, mass spectra, 264, 271
 — silylation of reaction products, 599
 — soybean action on linoleic acid, 737
- Lithocholate, sodium salt**, conversion to cholic acid in brain, 651
 — metabolism in guinea pig brain, 651
- Liver, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Liver, fatty**, induction by D-galactosamine, 553
- Liver, guinea pigs**, ascorbic acid levels, 135
 — effect of ascorbic acid on cholesterol metabolism, 482
- Liver, human**, galactosylceramide β -D-galactosidase, 154
 — glycosphingolipids, globoid cell leukodystrophy, 154
- Liver, lesions**, oxidized dietary fat, 329
- Liver, man**, fatty acid profile of bis-(monoacylglyceryl)-phosphate, 531
- Liver, mouse**, effect of ethanol on fatty acids, of 722
 — fatty acid profile, 722
 — fatty acid profile, circadian rhythm, 1, 722
 — microsomal fatty acid desaturase, assay, 1
 — microsomal fatty acid desaturase, cycloheximide, 1
 — microsomal fatty acid desaturation, circadian rhythm, 1
 — microsomal fatty acid profile, 1
 — microsomal free fatty acid content, circadian rhythm, 1
 — microsomes, fatty acid profile, 722
 — mitochondria, fatty acid profile, 722
- Liver, ocean sunfish**, fatty acids, GLC, TLC, 21
 — fatty acids, urea adduct formation, 21
 — 7-methyl-7-hexadecenoic acid, 21
 — trans 6-hexadecenoic acid, 21
- Liver, pig**, lipids, structure of, 65
- Liver, pigeon**, acetyl- and malonyl-CoA levels, 595
 — enzymes for fatty acid synthesis, 595
- Liver, rat**, acetyl- and malonyl-CoA levels, 595
 — acyl CoA formation, 111, 119
 — acyl CoA synthetase, cis octadecenoates Δ^1 to Δ^{17} , 124
 — acylation-deacylation cycle in EFA deficiency, 156
 — alloxan effect on fatty acid synthesis, 711
 — bile acid synthesis from methoxycholestene, 315
 — bile fistula and fat uptake, 249
 — cholesterol, acetate incorporation, 40
 — cholesterol, effect of rapeseed oil, 641
 — cholesterol content, free and total, 470
 — cholesterol synthesis, dietary sterols, 40
 — cholesterol synthesis from mevalonate, 284
 — choline deficiency, 163
 — cytoplasm, fatty acid synthesis in, 711
 — effect of ascorbic acid on cholesterol metabolism, 482
 — effect of autoxidized safflower oil, 566
 — effect of rapeseed oil diet on lipids, 641
 — enzymes for fatty acid synthesis, 595
 — essential fatty acid deficiency, 156
 — fatty acid esters, TLC (AgNO₃), 342
 — fatty acid profile of bis-(monoacylglyceryl)-phosphate, 531
 — fatty acid profile of cholesterol esters, 473
 — fatty liver induction by D-galactosamine, 553
 — glutathione peroxidase, 498
 — glutathione reductase, 498
 — glycerolipid biosynthesis, EFA-deficiency, 85
 — incorporation 1-¹⁴C-acetate, heated dietary fat, 342
 — lipid comp, 641
 — lipid peroxidation after ethanol treatment, 498
 — metabolism 1-¹⁴C-acetate, heated dietary fat, 342
 — methoxycholestene uptake, injection, 315
 — microsomal enzymes, 163
 — microsomal lipid peroxidation, 177
 — mitochondria action of phospholipase on, 415
 — NADPH oxidase, 498
 — phosphatide metabolism, choline-methionine deficiency, 71
 — phospholipid metabolism, 753
 — phospholipids, EFA and pyridoxine-deficient, 151
 — phospholipids, essential fatty acid deficient, 151
 — phospholipids, pyridoxine-deficient, 151
 — prep of mitochondria, 711
 — triglyceride accumulation after adrenalectomy, 170
- Liver, turkey**, fatty acid profile, 682
- Liver lipids, rat**, fatty acid esters, TLC (AgNO₃), 342
- Lung, baboon**, cholesterol biosynthesis from acetate and glucose, 56
- Lung, rat**, pyruvate metabolism, 360
- Lysolecithin**. See lysophosphatidyl choline
- Lysophosphatidyl choline**, action of mouse phospholipase on, 415
 — hydrolysis by mouse intestine, 426
 — in fungi, 745
 — in hepatoma cells, 702
 — in pulmonate snail, 759
 — LCAT in bovine plasma, 216
 — metabolism in copepods, 728
 — synthesis in mammary gland, 393
- Lysophosphatidyl ethanolamine**, in fungi, 745
 — metabolism in copepods, 728
- Lysophospholipase**, in mouse intestine, 415
- Lysophospholipid**, acyl CoA-acyltransferase, 151
 — in liver of choline deficient rat, 163
- Lysosomes**, hepatic, rat, 177
- Lysosomes, liver**, fatty acid profile of bis-(monoacylglyceryl)-phosphate, 531

M

- Maize, flour lipoxygenase activity, 599
 — See corn
 Malonaldehyde, fluorescent chromophore, 183
 Malondialdehyde, in rat liver after ethanol intoxication, 498
 Malonyl CoA, conversion to acetyl carnitine in rat heart, 446
 — fatty acid synthase in liver, 595
 — inhibition of fatty acid synthesis formed by carnitine, 446
 — pool in liver, 595
 — site of carboxylation, 595
 Malvaceae, *Pavonia sepium*, seed oil, cyclopropenoic acids in, 407
 Malvalic acid, in *Pavonia sepium* seed oil, 407
 Mammary gland, bovine, fatty acid incorporation into phospholipids, 393
 Mammary tissue, murine, α -glycerolphosphate dehydrogenase activity, 232
 Mammary tumor, murine, α -glycerolphosphate dehydrogenase activity, 232
 Mass spectra. See spectra, mass
 Medulla oblongata, phospholipid fatty acid comp, 374
 Membrane, peroxidation in rat hepatic, 177
 Membrane, mucus globule, isolation, vitamin A content, 321
 Membrane, plasma, action of iso-fatty acids, 573
 Membranous sacs, rat brain, sphingolipid fatty acids, 517
 Menhaden oil, effect on triglyceride fatty acid in egg yolk, 385
 Metabolism, free fatty acids, 142
 — pyruvate, rat lung, 360
 Metabolism, lipid, hormonal regulation, 224
 — in testes of hypophysectomized rats, 224
 Me-¹⁴C-Methionine, incorporation into phospholipids, in mammary gland, 393
 Methionine-choline deficiency, glycerophosphatide fatty acid profile, 71
 — rat liver, ethanolamine metabolism, 71
 — rat liver, phosphatidyl choline metabolism, 71
 — rat liver, phosphatidyl ethanolamine metabolism, 71
 3- β -Methoxycholesterol-5-ene-4-¹⁴C, absorption, biliary secretion, rat, 315
 — biliary metabolites, TLC, 315
 — metabolism in bile, 315
 — precursor of bile acids, 315
 — synthesis, chemical, 315
 2-Methylbutyric acid, in jaw fat of dolphins, 661
 14- α -Methyl-8,24(28)-dien-3- β -ol, in *C. emersonii*, 443
 14- α -Methyl-ergost-8-en-3- β -ol, in *C. emersonii*, 443
 7-Methyl-7-hexadecenoic acid, di hydroxy, di TMSE, mass spectrum, 21
 — equivalent chain length by GLC, 21
 — in ocean sunfish liver lipids, 21
 — IR spectrum, 21
 — NMR spectrum, 21
 — ozonolysis, oxidative, 21
 16-Methyl-4-hydroxy heptadecaphinganine, sphingolipids from fungi, 25
 17-Methyl-4-hydroxy octadecaphinganine, sphingolipids from fungi, 25
 18-Methyl-4-hydroxy nonadecaphinganine, sphingolipids from fungi, 25
 19-Methyl-4-hydroxy eicosaphinganine, sphingolipids from fungi, 25
 20-Methyl-4-hydroxy heneicosaphinganine, sphingolipids from fungi, 25
 Methyl-5,6-monooxyretinoate, mass spectra, 558
 Methyl-5,8-monooxyretinoate, mass spectra, 558
 14- α -Methyl-24S-stigmast-8-en-3- β -ol, in *C. emersonii*, 443
 Mesitylate, aglycone, reduction, 7
 Mevalonate, conversion to cholesterol in rat liver, 284
 Mice, Ehrlich ascites carcinoma, fatty acid metabolism in, 433
 Microflora, in rat, role in cholesterol reduction, 658
 Microorganisms, extracellular lipids of *M. xanthus*, 573
 Microsomes, fatty acid synthesis in rat heart, 446
 — hydroxylation of cholesterol by, 482
 — prep from rat heart, 446
 Microsomes, mouse liver, fatty acid desaturase, circadian rhythm, 1
 — fatty acid desaturase, cycloheximide, 1
 — free fatty acid content, circadian rhythm, 1
 — fatty acid profile, circadian rhythm, 1
 Milk, cholesterol, total lipid content, 635
 — monoenoic fatty acid isomers, possible origin, 94
 Milk, cow, cholesterol, total lipid content, 635
 Milk, ewe, cholesterol, total lipid content, 635
 Milk, rat, effect on hepatic liver synthesis, 284
 — fatty acid profile, 241
 Milk, skin, cholesterol, total lipid content, 635
 Milk, sow, cholesterol, total lipid content, 635

- Mitochondria, fatty acid synthesis by, 711
 — fatty acid synthesis in rat heart, 446
 — oxidation of cholesterol by, 482
 — prep from rat heart, 446
 — prep from rat liver, 711
 — rat liver, action of phospholipase on, 415
 Mitochondria, beef heart, phospholipids, 717
 Mitochondria, rat, liver, fatty acid synthesis, 711
 Mola mola (Linnaeus) 1758. See ocean sunfish
 Molecular distillation, oxidatively polymerized oil, toxic fraction, 353
 Molecular species, alfalfa phosphatidylcholines, 588
 — of phosphatidyl choline in mammary gland, 393
 — of pig liver phosphatides, 65
 — triglycerides, maturing corn, 295
 Monoacetyl-diacyl glycerides, synthesis, 631
 5,8-Monooxyretinal, mass spectra, 558
 5,6-Monooxy retinoic acid, mass spectra, 558
 5,8-Monooxy retinoic acid, mass spectra, 558
 5,6-Monooxyretinyl acetate, mass spectra, 558
 5,8-Monooxyretinyl acetate, mass spectra, 558
 Monoglycerides, in fungi, 745
 2-Monoglycerides, in egg yolk, fatty acids in, 385
 Monolayers, cholesterol, instability at high pH, 61
 — effect of phospholipid polar group, 61
 — phosphatidyl ethanolamine, condensing by cholesterol, 61
 — phosphatidyl ethanolamine, instability at high pH, 61
 — steroid-lecithin, effect of fatty acid comp, 61
 Mouse, *Hymenolepis nana* infection and intestinal phospholipase, 426
 Mouse, brain, fatty acid metabolism, 410
 — ganglioside comp, 436
 — phospholipid metabolism, 410
 Mouse, intestine, phospholipase of, 415
 Mouse, liver, effect of ethanol on fatty acids of, 722
 — fatty acid profile, 722
 — lipid comp of mitochondria, microsomes, 722
 — microsomes, fatty acid profile, 722
 — mitochondria, fatty acid profile, 722
 Mouse, mammary tissue, α -glycerolphosphate dehydrogenase activity, 232
 Mouse, tumor, Ehrlich ascites carcinoma, 534
 — glyceryl ethers, 160
 Mucosal cell, chylomicron synthesis and release, 249
 — fat uptake, bile fistulated rat, 249
 Mucus, bovine cervical, globule membrane, vitamin A, esters, 321
 Mucus, globule membrane, isolation, differential centrifugation, 321
 Mucus, human nasal, bronchial, globule membrane, vitamin A, esters, 321
 Muscle, rabbit, fatty acid profile of sarcoplasmic reticulum phospholipids, 441
 Myelin, chick sciatic nerve, developmental changes, 235
 Myelin synthesis deficiency, mouse brain ganglioside comp, 436
 Myristic acid, in egg yolk triglycerides, 385
 1-¹⁴C-Myristic acid, incorporation in phospholipids of mammary gland, 393
 Myxobacteria, extracellular lipids of *M. xanthus*, 573

N

- NADPH oxidase, in rat liver after ethanol intoxication, 498
 Neetsfoot oil, dietary, effect on egg yolk lipids, 682
 Nematodes. See *Acaris lumbricoides*
 Nerve, peripheral, chick sciatic nerve myelin, 235
 Nerve, sciatic, chick, developmental changes in myelin, 235
 Neuraminic acid, in gangliosides of mouse brain, 436
 Neuroblastoma, glyceryl ethers, 160
 Neutral lipids, acetate incorporation in soybeans, 668
 — beef heart mitochondria, 717
 — in egg yolks, 675
 — in fungi, 745
 — in turkey egg yolk, 682
 — of pecan weevil, 657
 Nicotinic acid, antipolytic response and parathion, 43
 — free fatty acid metabolism, 142
 Nigericin, stimulation of ion transport, 717
 Non-urea adduct, heated fat, polymer dunn, 342
 Nucleotide sugars, separation from gangliosides, 537
 Nutritive value, of oxidized fat, evaluation, 348

O

- Oat, flour lipoxygenase activity, 599
 Oat leaf, lipid comp of wax, 617
 Ocean sunfish, liver fatty acids, argentation TLC, 21
 — GLC, 21
 — 7-methyl-7-hexadecenoic acid, 21

- *trans* 6-hexadecenoic acid, 21
 - urea adduct formation, 21
 - cis*-9, *trans*-12-Octadecadienoic acid. See linoleic acid, *trans* isomers
 - trans*-9, *cis*-12-Octadecadienoic acid. See linoleic acid, *trans* isomers
 - trans*-9, *trans*-12-Octadecadienoic acid. See linoleic acid, *trans* isomers
 - Octadecenoates, *cis* Δ^1 to Δ^{17} , acyl CoA formation, 124
 - Octadecenoates, *trans* Δ^1 to Δ^{15} , acyl CoA formation by microsomes, 119
 - acyl CoA formation by mitochondria, 119
 - Octadecenoic acid, positional isomers and triglyceride lipolysis, 45
 - 6-Octadecynoic acid, in *Alvaradoa amorphoides* seeds, 627
 - Oil, oxidatively polymerized, fractionation, column chromatography, 353
 - toxic component, characterization, 353
 - toxicity, rats, mice, 353
 - Oils, polyunsaturated, anionic surfactants as polymerization inhibitors, 337
 - non-urea adduct, GLC, 337
 - polymerized, fatty acid profile, 337
 - Oil, thermally polymerized, toxicity, rats, 353
 - Oilseeds, acetylenic acids in *Alvaradoa amorphoides*, 627
 - Oleate, activation, acyl CoA formation by microsomes or mitochondria, 111
 - Oleic acid, in egg yolk triglycerides, 385
 - in human brain, 374
 - 1-¹⁴C-Oleic acid, incorporation in phospholipids of mammary gland, 393
 - incorporation into brain phospholipids, 410
 - metabolism in mouse brain, 410
 - Oleoyl CoA-lysophospholipid acyltransferase, in B_a and EFA deficiency, 151
 - in B_a deficiency, 151
 - Onions, prostaglandin A₁ content, 484
 - Orotic acid, fatty liver induction in the rat, 503
 - *P-Orthophosphate, incorporation into lipids of copepods, 728
 - Ovaries, *A. lumbricoides*, ascarosides and derivatives, 7
 - glycerides, waxes, sterols, 303
 - Ovolecithin, molecular species, 631
 - Oxidase, NADPH, in rat liver after ethanol intoxication, 498
 - Oxidation, of linolenic acid in wheat flour, 606
 - tocopherol, lecithin adduct formation, 31
 - tocopherol monolayer on silicic acid, 31
 - with CrO₃, of apple cutin fatty acids, 90
 - β -Oxidation, fatty acids, monoenoic isomers, rat heart, 256
 - Ozonolysis, oxidative, in identification of polyenoic acids, 480
 - reductive, of cyclopropanes, 407
 - Ozonolysis, micro, fatty acids, monoenoic isomers, 256
 - Ozonolysis, oxidative, 7-methyl-7-hexadecenoic acid, 21
- P**
- Palladium catalyst, labeling of lipids, 190
 - Palmitaldehyde, detection on TLC plates, 612
 - Palmitic acid, in egg yolk triglycerides, 385
 - in human brain, 374
 - incorporation in brain phospholipids, 753
 - 1-¹⁴C-Palmitic acid, incorporation in phospholipids of mammary gland, 393
 - Pancreatectomy, effect on free fatty acid metabolism, 142
 - Pancreatic lipase. See lipase, pancreatic
 - Parathion, and antilipolytic response to nicotinic acid, 43
 - and lipolytic response to cyclic AMP, 43
 - and lipolytic response to epinephrine, 43
 - effect on adenyl cyclase activity, 43
 - lipolysis in rat adipose tissue cell, 43
 - Partitioning, Folch, gangliosides and precursors, 537
 - Pavonia sepium, seed oil, cyclopropanoic acids in, 407
 - Peanut oil, fatty acid profile, 653
 - Pecan weevil, lipid comp, 657
 - 1,16-Pentacosanediol, in oat leaf wax, 617
 - Perinephric fat, ox, monoenoic fatty acid isomers, 94
 - Periodate oxidation, sphingolipids from fungi, 25
 - Periplasmic nerve, chick sciatic nerve myelin, 235
 - Peroxidation, fluorescent chromophore, 183
 - fluorescent molecular damage, 177
 - measurement of TBA reactants, 177
 - phosphatidyl choline, 203
 - phosphatidyl ethanolamine, 203
 - phosphatidyl serine, 203
 - Peroxidation, lipid, DNA fluorescence, 199
 - in rat liver after ethanol intoxication, 498
 - Peroxide value, as measure of toxicity, 348
 - thermally oxidized oil, 353
 - Peroxides, toxicity, 348
 - Peroxides, lipid, autooxidized safflower oil fed to rats, 566
 - Petroselinic acid, acyl CoA formation by microsomes or mitochondria, 111
 - Phenol, artifact production, paper chromatography, phosphatide products, 363
 - Phenylalanine, lipid peroxidation products, 183
 - 2-Phenyl-1,3-dioxolane-4-methanol, isomers, separation, 479
 - 2-Phenyl-1,3-dioxolane-4-methyl esters, isomers, separation, 479
 - Phosphatase, alkaline, in rats fed autooxidized safflower oil, 566
 - Phosphatase, alkaline, bacterial, purification of gangliosides, 537
 - Phosphatidic acid, in pulmonate snail, 759
 - metabolism in mouse brain, 410
 - metabolism in soybeans, 668
 - role in ion transport, 717
 - Phosphatidyl choline, action of mouse phospholipase on, 415
 - canine bile, 522
 - canine plasma low density lipoprotein, 522
 - chick sciatic nerve, developmental changes, 235
 - choline-methionine deficiency, fatty acid profile, 71
 - dilinolenyl in alfalfa, 588
 - fatty acid profile, positional anal, rat liver, 641
 - fractionation, argentation TLC, 71
 - in fungi, 745
 - glycerol and linoleic acid incorporation, EFA-deficient rat liver, 85
 - in hepatoma cells, 702
 - isolation, assay, 360
 - LCAT in bovine plasma, 216
 - in liver of choline deficient rat, 163
 - metabolism, choline-methionine deficiency, 71
 - metabolism in copepods, 728
 - metabolism in mouse brain, 410
 - metabolism in rat brain, 753
 - metabolism in soybeans, 668
 - molecular species in alfalfa leaf, 588
 - molecular species in ovolecithin, 631
 - molecular species synthesis in mammary gland, 393
 - monolayer, with steroids, fatty acid comp, 61
 - peroxidation and fluorescence, 203
 - in peroxidized microsomal membrane, 177
 - pig liver, molecular species, 65
 - in pulmonate snail, 759
 - role in ion transport, 717
 - synthesis in mammary gland, 393
 - Phosphatidyl choline, bl'ury, fat absorption, chylomicron formation, 249
 - Phosphatidyl ethanolamine, action of mouse phospholipase on, 415
 - chick sciatic nerve, developmental changes, 235
 - choline-methionine deficiency, biological half-life, 71
 - choline-methionine deficiency, fatty acid profile, 71
 - fatty acid profile, positional anal, rat liver, 641
 - fluorescent chromophore, 183
 - fractionation, argentation TLC, 71
 - in fungi, 745
 - glycerol and linoleic acid incorporation, EFA-deficient rat liver, 85
 - in hepatoma cells, 702
 - in liver of choline deficient rat, 163
 - metabolism, choline-methionine deficiency, 71
 - metabolism in copepods, 728
 - metabolism in mouse brain, 410
 - metabolism in soybeans, 668
 - monolayer, instability at high pH, 61
 - monolayer, with cholesterol, 61
 - peroxidation and fluorescence, 203
 - in peroxidized microsomal membrane, 177
 - pig liver, molecular species, 65
 - in pulmonate snail, 759
 - role in ion transport, 717
 - synthesis in mammary gland, 393
 - Phosphatidyl inositol, in hepatoma cells, 702
 - metabolism in mouse brain, 410
 - metabolism in soybeans, 668
 - pig liver, molecular species, 65
 - in pulmonate snail, 759
 - role in ion transport, 717
 - synthesis in mammary gland, 393
 - 1,3-Phosphatidyl phenol, use in stereospecific anal of triglycerides, 439
 - Phosphatidyl serine, chick, sciatic nerve, developmental changes, 235
 - in hepatoma cells, 702
 - metabolism in mouse brain, 410
 - metabolism in soybeans, 668
 - peroxidation and fluorescence, 203
 - in pulmonate snail, 759
 - synthesis in mammary gland, 393
 - Phosphodiesterase, snake venom, purification of gangliosides, 537
 - Phospholipase, action on bacterial cells, 415
 - action on beef heart mitochondria, 415
 - action on erythrocytes, 415
 - chemical characterization of, from mouse intestine, 415

- in *Hymenolepis nana* infection of mice, 426
- mechanism of action, 415
- in mouse intestine, 415, 426
- prep from mouse intestine, 415
- purification of, from mouse intestine, 415
- Phospholipase A**, activity in rat brain, 753
- phosphatidyl ethanolamine, pig liver, 65
- phosphatidyl inositol, pig liver, 65
- phospholipid choline, pig liver, 65
- Phospholipase A₂**, role in brain phospholipid metabolism, 753
- use in stereospecific anal of triglycerides, 439
- Phospholipase B**, action of antiinflammatory steroids on production of, 426
- action of niclosamide, 426
- in *Hymenolepis nana* infection of mice, 426
- Phospholipase C**, phosphatidyl choline, pig liver, 65
- phosphatidyl ethanolamine, pig liver, 65
- phosphatidyl inositol, pig liver, 65
- Phospholipids**, accumulation in media of hepatoma culture, 690
- acetate incorporation in soybeans, 668
- anal of molecular species using GLC-mass spectroscopy, 631
- analytical scheme for snail, 759
- assay, successive hydrolysis, artifacts, 366
- beef heart mitochondria, 717
- brain incorporation of palmitic acid, 753
- chick sciatic nerve, developmental changes, 235
- comp of hepatoma cells, 702
- comp of pulmonate snail, 759
- fatty acid comp in brain, 374
- fatty acid profile, hepatoma cells, 702
- fatty acid profile, rat liver, 641
- fatty acid profile, soybeans, 668
- fatty acid profile in snail, 759
- fatty acid profile of sarcoplasmic reticulum, 441
- in fungi, 745
- hepatic fatty acid comp, effect of D-galactosamine, 553
- hydrolysis by mouse intestinal phospholipase, 415
- incorporation of acetate into, in mammary gland, 393
- incorporation of choline into, in mammary gland, 393
- incorporation of ethanolamine into, in mammary gland, 393
- incorporation of fatty acids into, in mammary gland, 393
- incorporation of glycerol into, by mammary gland, 393
- incorporation of methionine into, in mammary gland, 393
- incorporation of serine into, in mammary gland, 393
- ion transport by, 717
- mechanism of ion transport by, 717
- membrane transport, 717
- metabolism, anaerobic, aerobic, in soybeans, 668
- metabolism in brain, 649
- metabolism in copepods, 728
- metabolism in hepatoma cells, 702
- metabolism in mouse brain, 410
- metabolism in rat brain, 732, 753
- metabolism in snail, 759
- molecular species in ovolectithin, 631
- passage through blood brain barrier, 753
- of pecan weevil, 657
- polar group and monolayer formation with steroids, 61
- rat liver, effect of D-galactosamine, 553
- rat lung, incorporation of ¹⁴C-pyruvate, 360
- steroid interaction, in monolayers, 61
- synthesis in mammary gland, 393
- unidentified component in soybeans, 668
- Phosphoryl choline**, roll in phospholipid synthesis in mammary gland, 393
- Phycomyces blakesleeanae**. See fungi
- Picrate**, transport by phospholipids, 717
- Pig**, structures of liver glycerolipids, 65
- Pig**, intestine, bacterial in, effect on serum cholesterol, 428
- Pig**, plasma, cholesterol content, 635
- Pig**, serum, cholesterol, effect of feeding, 428
- Pigeon**, feces, sterols and intestinal bacterial flora, 208
- Pigeon**, liver, acetyl- and malonyl-CoA levels, 595
- enzymes for fatty acid synthesis, 595
- Pigeon**, skin, campesterol, 158
- cholesterol, 158
- β -sitosterol, 158
- Pituitary**, beef and human, polyphenols in, 246
- Plant**, alfalfa, phosphatidylcholine synthesis, 588
- Plasma**, baboon, cholesterol biosynthesis from acetate and glucose, 56
- Plasma**, bovine, lipid comp, effect of heat exposure, 216
- Plasma**, calf, cholesterol content, 635
- Plasma**, colt, cholesterol content, 635
- Plasma**, dog, effect of biliary obstruction on lipids, 522
- Plasma**, lamb, cholesterol content, 635
- Plasma**, pig, cholesterol content, 635
- Plasma**, rat, cholesterol content, free and total, 470
- effect of hepatotoxins on triglycerides, 503
- Plasma membrane**, action of iso-fatty acids, 573
- Plasmalogens**, in pulmonate snail, 759
- Platelets**, human, synthesis of prostaglandins, 592
- Platinum catalyst**, labeling of lipids, 190
- Polar lipids**, in egg yolks, 675
- in turkey egg yolk, 682
- Pollution**, environmental, acute toxicity of flotation agents, 493
- Polymerization**, fat, dtmn, 342
- Polymerization**, oxidative, inhibition, oils, 337
- Polyphenols**, in beef and human pituitaries, 246
- Polyphenols**, pituitary, column chromatography, TLC, MS, NMR, IR, 246
- Portal vein**, rat, injection of cholesterol into, 473
- Positional analysis**, rat liver lipids, fatty acids, 641
- Potassium ions**, stimulation of ion transport by phospholipids, 717
- Potassium methoxide**, catalyst for transmethylation of triglycerides, 653
- Prairie chicken**, eggs, fatty acid profile, 675
- Prostaglandin A**, characterization by chemical and spectrophotometric methods, 484
- in onions, 484
- IR spectra, 484
- isolation from onion by chromatographic methods, 484
- Prostaglandin E₁**, stability in solution in ethanol, chloroform, ethyl acetate, 592
- stability in water or NaCl solution, 592
- Prostaglandin E₂**, stability in solution in ethanol, chloroform, ethyl acetate, 592
- stability in water or NaCl solution, 592
- Prostaglandin E₃**, stability in solution in ethanol, chloroform, ethyl acetate, 592
- stability in water or NaCl solution, 592
- Prostaglandins**, chromatographic separation of E group, 431
- column chromatography, TLC, 92
- detection in rat tail skin, 166
- E group anal, 431
- effect of light on stability in chloroform, 592
- extraction from plant tissue, 484
- extraction of, from seminal plasma, 431
- quantitative anal, 431
- separation by TLC, 431
- swine testes, isolation, assay, 92
- synthesis in rat tail skin, 166
- TMS, alkoxime-TMS derivatives, mass spectra, 267
- Protein**, metabolism in brain, 649
- of egg yolk, effect of autooxidation on, 623
- Pseudotumors**, glyceryl ethers, 160
- Psoas**, rabbit, fatty acid profile of phospholipids, 441
- Pyridoxine**, deficiency, essential fatty acid metabolism, 151
- Pyruvate**, incorporation, rat lung, lipid fraction, 360
- metabolism, rat lung, 360

Q

Quail, egg, fatty acid profile, 675

R

- R_f values**, lipids, TLC, silica gel-sintered plate, 259
- Rabbit**, muscle, fatty acid profile, muscle phospholipids, 441
- Rapeseed oil**, effect on liver lipid during growth, rats, 641
- effect on rat liver lipids, 641
- Rat**, bile acid secretion, dietary fat effect on injected cholesterol, 473
- cannulation of bile duct, 473
- diet, effect of unsaturated fat on cholesterol absorption, 470
- fatty acid profile of heart, age, diet, 241
- hypercholesterolemic, cholesterol absorption and intestinal secretion, 470
- microbiological reduction of cholesterol in, 658
- milk lipids, fatty acid profile, 241
- weight gain on various oil diets, 641
- Rat**, adrenal gland, control of phospholipid synthesis, 170
- Rat**, bile, bile acid turnover in hypercholesterolemic, 466
- Rat**, bile duct, T-cannulation of, 459
- Rat**, brain, cerebroside metabolism, 732
- cholesterol metabolism, 649
- lipid metabolism during development, 753
- "membranous sac" sphingolipids and sphingolipid fatty acid profile, 517
- phospholipid metabolism, 753

- Rat, ceca**, role in cholesterol reduction, 658
Rat, diet, effect on cholesterol and bile acid metabolism, 473
Rat, feces, bile acids after adrenalectomy, 170
 — lipids after adrenalectomy, 170
Rat, gastrointestinal tract, cholesterol reduction in, 658
Rat, heart, effect of feeding marine oils, 584
 — fatty acid synthesis, 446
Rat, hypophysectomized, testicular lipid metabolism, 224
Rat, intestinal wall, phospholipid content after adrenalectomy, 170
Rat, liver, acetyl- and malonyl-CoA levels, 595
 — acyl CoA formation, 111, 119
 — acyl CoA synthetase, *cis* octadecenoates Δ^4 to Δ^{17} , 124
 — acylation-deacylation cycle in EFA deficiency, 156
 — alloxan effect on fatty acid synthesis, 711
 — cholesterol, effect of rapeseed oil, 641
 — cholesterol content, free and total, 470
 — choline deficiency, 163
 — cytoplasm, fatty acid synthesis in, 711
 — effect of ascorbic acid on cholesterol metabolism, 482
 — effect of autoxidized safflower oil, 566
 — effect of rapeseed oil diet on lipids, 641
 — enzymes for fatty acid synthesis, 585
 — essential fatty acid deficiency, 156
 — fatty acid profile of bis-(monoacylglyceryl)-phosphate, 531
 — fatty acid profile of cholesterol esters, 473
 — fatty liver induction by D-galactosamine, 553
 — glutathione peroxidase and reductase, 498
 — lipid comp, 641
 — lipid peroxidation after ethanol treatment, 498
 — microsomal enzymes, 163
 — microsomal lipid peroxidation, 177
 — mitochondria action of phospholipase on, 415
 — NADPH oxidase, 498
 — phospholipid metabolism, 753
 — phospholipids, EFA and pyridoxine-deficient, 151
 — prep of mitochondria, 711
 — triglyceride accumulation after adrenalectomy, 170
Rat, lung, lipid fractions, ^{14}C -pyruvate incorporation, 360
 — lipid fractions, thin-layer chromatography, 360
 — pyruvate metabolism, 360
Rat, mitochondria, liver, fatty acid synthesis, 711
Rat, plasma, cholesterol content, free and total, 470
 — effect of hepatotoxins on triglycerides, 503
Rat, portal vein, injection of cholesterol into, 473
Rat, skin, prostaglandin detection and synthesis, 166
Rat, spleen, effect of autoxidized safflower oil, 566
Rat, Sprague-Dawley, effect of clofibrate and analogs on hyperlipemia, 378
 — induction of hyperlipemia by Triton WR-1339, 378
Rat, suckling, hepatic cholesterol synthesis, effect of milk, 284
Rat, tail, prostaglandin detection and synthesis, 166
Rat, testes, lipid metabolism after hypophysectomy, 224
Red blood cells. See erythrocytes
 Δ^4 -Reductase, inhibition by AY-9844 in algae, 443
 Δ^4 -Reductase, inhibition by AY-9844 in algae, 443
Reduction, sphingolipids from fungi, 25
Retinal, beta- C_{10} , mass spectra, 558
Retinoate, all *trans*, effect on acyl CoA formation, 119, 124
 — inhibition of acyl CoA formation, 111
Retinol. See vitamin A
Retinyl acetate, beta- C_{10} , mass spectra, 558
Retinyl esters. See vitamin A
Ribonuclease, deoxy, degradation of DNA, 199
Ricinoleic acid, cholesterol ester, autooxidation of sterol moiety, 17
 — cholesterol ester, synthesis, 17
Rye, flour lipoxygenase activity, 599
- S**
- Saccharomyces cerevisiae**, ceramides, dihydroxy fatty acids, 325
Saccharomyces fragilis, fatty acid profile, 655
Safflower oil, dietary effect on conversion of cholesterol to bile acids, 473
 — effect on cholate synthesis and pool size, 466
 — effect on cholesterol absorption and intestinal secretion, 470
Safflower oil, autoxidized, effect on rat, 566
Salmon, fry, acute toxicity of alkylhydroxyamic acids, 493
Sarcoplasmic reticulum, phospholipid, fatty acid profiles of red and white muscles, 441
Schiff bases, N-alanyl-2-hydroxy-naphthylidene, 194
 — N-1-benzal-2-hydroxyaminoethane, 194
 — N-1-benzal-2, 2'-hydroxyaminoethane, 194
 — N,N'-dileucine, 1-amino-3-iminopropene, 194
 — fluorescence, 203
 — fluorescent chromophore, 183
 — fluorescent molecular damage, 177
 — N-hydroxyethyl-1-imino-2', 4-hexadiene, 194
 — structural features required for fluorescence, 194
Schiff bases, conjugated, calf thymus DNA, 199
Sciatic nerve, chick, developmental changes in myelin, 235
Seminal plasma, human, prostaglandins extraction from, anal, 431
2- ^{14}C -Serine, incorporation into phospholipids, in mammary gland, 393
Serum, pigs, cholesterol, effect of feeding, 428
Serum enzymes, rats fed autoxidized safflower oil, 566
Sialic acid, content of mouse brain gangliosides, 436
 — separation from gangliosides, 537
Silica-impregnated plate, TLC, argentation, reversed phase, 259
"Sinking-pre-beta" lipoprotein. See Lp(a) lipoprotein and lipoproteins
 β -Sitosteranone, fecal sterols and bacterial flora, 208
Sitosterol, anal in mixtures, 107
 — from hydrogenation of stigmasterol, 101
 — purification, 97
 β -Sitosterol, pigeon skin, 158
Sitosterol, dibromide, crystallization, 97
Sitosteryl acetate, crystallization, 97
Skin, baboon, cholesterol biosynthesis from acetate and glucose, 56
Skin, pigeon, campesterol, 158
 — cholesterol, 158
 — β -sitosterol, 158
Skin, rat, prostaglandin detection and synthesis, 166
Snail, phospholipid comp, 759
Sodium glycocholate, dietary, effect on cholate half-life, 459
Soleus, rabbit, fatty acid profile of phospholipids, 441
Solvent extraction, heated fat, polymer dmm, 342
Soybean oil, dietary, effect on egg yolk lipids, 682
Soybeans, acetate incorporation into fatty acids, 668
 — fatty acid metabolism in, 668
Specific rotation, of *sn*-glycerol-cyclic-phosphodiester, 289
Spectra, fluorescence, dipalmityl phosphatidyl ethanolamine with arachidonate, 203
 — DNA peroxidized arachidonate, 199
 — egg yolk lipoproteins, 623
 — lipid peroxidation products, 183
 — peroxidized phosphatidyl ethanolamine, 203
 — peroxidized phosphatidyl serine, 203
 — Schiff bases, 194
Spectra, infrared, acetylenic fatty acids, 627
 — assay of *trans* acids, 94
 — *cis* hexadec-11-enoic acid, 573
 — hydroperoxides, 737
 — hydroxy, fatty acids, 606
 — 9-hydroxy-10-oxo, *cis*-12, *cis*-15-octadecadienoic acid, 606
 — 9-hydroxy-*trans*-10, *cis*-12, *cis*-15-octadecatrienoic acid, 606
 — 7-methyl-7-hexadecenoic acid, 21
 — *cis*-15-methylhexadec-11-enoic acid, 573
 — oxidatively polymerized oil, toxic fraction, 353
 — of pituitary polyprenols, 246
 — of prostaglandin A₁, 484
 — Schiff bases, 194
 — tocopherol-lecithin adducts, 31
 — 9,12,13-trihydroxy-*trans*-10, *cis*-15-octadecadienoic acid, 606
Spectra, mass, apple cutin fatty acid derivatives, 90
 — N-1-benzal-2-hydroxyaminoethane, 194
 — N-1-benzal-2, 2'-hydroxy-aminoethane, 194
 — characterization of cyclopropanoic esters by anal of β -diketo esters, 407
 — *C. cochliodes* lipids, 311
 — of fatty acid methyl esters, 655
 — *cis* hexadec-11-enoic acid, 573
 — *cis*-15-methylhexadec-11-enoic acid, 573
 — of 3 β -hydroxy-5-choleenoic acid in, 767
 — 9-hydroxy-10-oxo, *cis*-12, *cis*-15-octadecadienoic acid, 606
 — 9-hydroxy-*trans*-10, *cis*-12, *cis*-15-octadecatrienoic acid, 606
 — 11,12-dihydroxy-1-octadecanol, 737
 — hydroperoxides, 737
 — hydroxy, fatty acids, 606
 — lipoxygenase reaction products, 264, 271
 — N-2-hydroxyethyl-1-imino-2', 4-hexadiene, 194
 — 7-methyl-7-hexadecenoic acid, dihydroxy diTMSE, 21
 — methyl-5,6-monooxypyrretinoate, 558
 — methyl-5,8-monooxypyrretinoate, 558
 — of monoacyl-diglycerides, 631
 — 5,8-monooxypyrretinal, 558
 — 5,6-monooxypyrretinoic acid, 558
 — 5,8-monooxypyrretinoic acid, 558
 — 5,6-monooxypyrretinyl acetate, 558
 — 5,8-monooxypyrretinyl acetate, 558
 — cat leaf wax, 617
 — oxidatively polymerized oil, toxic fraction, 353

- paraffin hydrocarbons in earthworms, 489
- of pituitary polyphenols, 246
- prostaglandin derivatives, 267
- retinal, beta-C₂₅, 558
- retinyl acetate, beta-C₂₅, 558
- Schiff bases, 194
- tocopherol-lecithin adducts, 31
- 9,12,13-trihydroxyl-*trans*-10, *cis*-15-octadecadienoic acid, 606
- trimethylsilyl-5,6-monoepoxyretinoate, 558
- vitamin A analogs, 558

- Spectra, nuclear magnetic resonance**, acetylenic fatty acids, 627
 - bis-(monoacylglyceryl)-phosphate, 531
 - hydroxy fatty acids, 606
 - 7-methyl-7-hexadecenoic acid, 21
 - oxidatively polymerized oil, toxic fraction, 353
 - of pituitary polyphenols, 246
- Spectra, proton magnetic resonance**-¹³C, of oat leaf wax, 617

- Spectra, ultraviolet**, egg yolk lipoproteins, 623
 - oxidatively polymerized oil, toxic fraction, 353
 - of prostaglandin A₁, 484
- Schiff bases, 194
- tocopherol-lecithin adducts, 31

- Spectra, visible**, Schiff bases, 194
- Sphingolipids**, in fungi, 25
 - globoid cell leukodystrophy, 154
 - metabolism in brain, 732
 - purification of gangliosides, 537
 - rat brain "membranous sacs" fatty acid profile, 517

- Sphingomyelin**, chick sciatic nerve, developmental changes, 235
 - in fungi, 745
 - metabolism in copepods, 728
 - metabolism in hepatoma cells, 702
 - rat brain "membranous sacs" fatty acid profile, 517
 - role in ion transport, 717
 - synthesis in mammary gland, 393

- Sphingosine bases**, in sphingolipids from fungi, 25
- Spleen, baboon**, cholesterol biosynthesis from acetate and glucose, 56

- Spleen, rat**, effect of autoxidized safflower oil, 566
- Spore germination**, fungistatic activity *M. xanthus* extracellular lipids, 573

- Spray reagent**, for aldehyde on TLC, 612
- Stearic acid**, in human brain, 374
 - intestinal absorption, rat, 53

- 1-¹⁴C-Stearic acid**, incorporation in phospholipids of mammary gland, 393

- Sterculic acid**, in *Pavonia sepium* seed oil, 407
- Stereospecific analysis**, corn triglycerides, 295
 - of fatty acid in 3-position of triglyceride, 439

- Steroid**, metabolism in guinea pig brain, 651
 - phospholipid interaction, in monolayers, 61

- Steroid acids**, in brain of EAE guinea pig, 767
- Sterol acetates**, synthesis, 453

- Sterols**, *A. lumbricoides* ovary, 303
 - biosynthesis in algae, 443
 - comp of *C. emersonii*, 443
 - conversion of 14- α -methyl to Δ^5 diene in algae, 443
 - digitonin-precipitable, intestinal, influence of dietary fat, 470
 - in *C. cochliodes* lipids, 311
 - in rapeseed oil, 453
 - metabolism in green algae, effect on AY-9944, 443
 - titration of unsaturation, 107

- Sterols, fecal**, influence of intestinal bacterial flora, 208
 - man, pigeon and chicken, 208

- Sterols, pigeon skin**, GLC, 158
 - TLC, silver nitrate, 158

- Sterols, plant**, brassicasterol, 97
 - campesterol, 97
 - from cottonseed oil deodorizer distillate, 97
 - GLC, TLC, 97
 - sitosterol, purification, 97
 - stigmasterol from hydrogenation of stigmasterol, 97

- Sterols, soy**, cholesterol absorption, cholesterol synthesis, 40

- Sterylesters**, in cottonseed oil deodorizer distillate, 97
 - titration of unsaturation, 107

- Stigmasterol**, anal in mixtures, 107
 - from hydrogenation of stigmasterol, various catalysts, 101

- Stigmasterols**, in *C. emersonii*, 443

- Stigmasterone**, fecal sterols and bacterial flora, 208

- Stigmasterol**, anal in mixtures, 107
 - GLC, TLC, 101
 - hydrogenation, various catalysts, 101
 - hydrogenation to sitosterol, 97

- Stigmasteryl**, acetate formation, 453
 - in rapeseed oil, 453
 - separation from brassicasterol, 453

- Stigmasteryl acetate**, prep, crystallization and hydrogenation, 101

- Stigmasteryl benzoate**, prep, crystallization and hydrogenation, 101

- Stigmasteryl phenylacetate**, prep, crystallization and hydrogenation, 101

- Stigmasteryl trimethylacetate**, prep, crystallization and hydrogenation, 101

- Stomach, baboon**, cholesterol biosynthesis from acetate and glucose, 56

- Stress**, effect on free fatty acid metabolism, 142

- Sugars, nucleotide**, separation from gangliosides, 537

- Sulfatide**, globoid cell leukodystrophy, 154

- rat brain "membranous sacs" fatty acid profile, 517

- Sunfish, ocean**, fatty acid profile, 509

- Surfactants, anionic**, polymerization inhibitors, oils, 337

- Swine testes**, prostaglandin content, 92

- Synthase, fatty acid**, levels in rat and pigeon liver, 595

T

- Tail, rat**, prostaglandin detection and synthesis, 166

- Tallow, beef**, dietary, effect on conversion of cholesterol to bile acids, 473

- beef, effect on cholate synthesis and pool size, 466

- beef, effect on cholesterol absorption and intestinal secretion, 470

- Taucholeic acid**, administration to dogs, 522

- Template activity**, calf thymus DNA, 199
 - DNA, relative to fluorescence, 199

- Testes, human**, polyenoic acids of, 480

- Testes, rat**, lipid metabolism after hypophysectomy, 224

- Testes, swine**, prostaglandin content, 92

- Testicle, baboon**, cholesterol biosynthesis from acetate and glucose, 56

- Tetradecanoic acid**, 13-methyl, *M. xanthus*, 573

- 0-Tetrahydropyranyl ricinoleic acid**, cholesteryl ester, autooxidation of sterol moiety, 17

- cholesteryl ester, synthesis, 17

- Thin layer chromatography**. See chromatography, thin-layer

- Thiobarbituric acid reactants**, fluorescent chromophore, 183
 - in peroxidizing phospholipids, 203
 - versus fluorescence, 203

- Thioethers, glycerol**, in human heart, 234

- Thymus, calf**, fluorescent molecular damage, 199

- Thyroidectomy**, effect on free fatty acid metabolism, 142

- Tocopherol, alpha**, in liver oil of ocean sunfish, 509

- α -Tocopherol**, oxidation as monolayer on silicic acid, 31
 - oxidized, lecithin adducts, 31

- Tocopherol-lecithin adduct**, column chromatography, TLC, GLC, 31

- formation on silicic acid, 31

- isolation and characterization, 31

- UV, IR and MS, 31

- d- α -Tocopheryl acid succinate**, inhibition of acyl CoA formation, 111

- Toxicity, acute**, alkylhydroxamic acids to salmon fry, 493
 - of hydrocarbons, 348
 - of oxidized fat, evaluation, 348
 - of peroxides, peroxide decomposition products, 348
 - polymerized oil, rats, mice, 353

- Transaminase, glutamic oxaloacetic**, serum, of rats fed autoxidized safflower oil, 566

- Transaminase, glutamic pyruvic**, serum, of rats fed autoxidized safflower oil, 566

- Transmethylation**, formation of methyl esters on TLC plates, 653
 - of triglycerides on TLC plates, 653

- Transport, lipid**, albumin complex of free fatty acids, 534

- Tributyrin**, inhibitors of hydrolysis by *S. aureus* lipase, 549

- Triglyceride secretion**, extrahepatic, 503
 - hepatic blocked by orotic acid, 503

- Triglyceridemia, hyper**, induced by Triton WR 1339, 503

- Triglycerides**, dtmn in rat liver, 553
 - dtmn of fatty acid in 3-position of, 439
 - effect of methaden oil on egg yolk fatty acids, 385
 - egg yolk, fatty acid distribution, 385
 - fatty acid comp in egg, 385
 - formation of methyl ester directly on thin layer plates, 653
 - in fungi, 745
 - glycerol and linoleic acid incorporation, EFA-deficient rat liver, 85
 - hepatic fatty acid comp, effect of D-galactosamine, 553
 - in jaw fat of dolphin, 661
 - metabolism in copepods, 728
 - metabolism in mouse brain, 410
 - octadecenoates, positional isomers and lipolysis, 45
 - pig liver, GLC, 65
 - pig liver, stereospecific anal, 65
 - positional distribution of fatty acids in egg, 385
 - in rat plasma after hepatotoxins, 503

- serum levels, lowering by clofibrate and analogs, 378
- species in maturing corn, 295
- stereospecific anal of 3-position, 439
- synthesis in adrenalectomized rat, 170
- transmethylation of, 653
- Triglycerides, corn, fatty acid profile, 295
- Triglycerides, *trans* isomers, hydrolysis, lipase, *G. candidum*, 323
- Trihexosylceramide, globoid cell leukodystrophy, 154
- Trihydroxycholanic acid. See bile acids
- Trimethylsilyl derivatives, prostaglandins, mass spectra, 267
- Trimethylsilyl-5,6-monoepoxyretinoate, mass spectra, 558
- Trimethylsilyl-5,8-monoepoxyretinoate, mass spectra, 558
- Trimyrustin, inhibitor of hydrolysis *S. aureus* lipase, 549
- Triolein, inhibitor of hydrolysis by *S. aureus* lipase, 549
- Tripalmitin, inhibitor of hydrolysis by *S. aureus* lipase, 549
- Tritium, labeling of lipids, 190
- Triton WR 1339, hypertriglyceridemia in the rat, 503
- induction of hyperlipemia in Sprague-Dawley rats, 378
- prep of tritosomes, 531
- Triton X-100, as lipase activity protector, 369
- effect on acyl CoA formation, 111, 119, 124
- Tritosomes, liver lysosomes prepared with Triton WR-1339, 531
- Tumor growth, total lipid fatty acids, net increase in, 433
- Tumors, insect, glyceryl ethers, 160
- Tumors, mouse, Ehrlich ascites carcinoma, 534
- glyceryl ethers, 160
- Tumors, murine mammary, α -glycerolphosphate dehydrogenase activity, 232
- Turkey, egg, fatty acid profile, 675
- Tursiops truncatus, jaw fat, wax ester comp, 661
- Tween 80, hydrolysis by *S. aureus* lipase, 549

U

- UDP-N-acetylgalactosamine, separation from gangliosides, 537

- UDP-galactose, separation from gangliosides, 537
- UDP-glucose, separation from gangliosides, 537
- Urea adduct formation, ocean sunfish liver fatty acids, 21
- Urea extraction, of reaction products of lipoxygenase reaction, 599
- Urine, hepatobiliary diseases, bile acids, sulfated, 47

V

- Vaccenate, *cis*, acyl CoA formation by microsomes or mitochondria, 111
- Vaccenate, *trans*, acyl CoA formation by microsomes or mitochondria, 111
- Valinomycin, stimulation of ion transport, 717
- Vitamin A, mucus globule membrane, bovine, human, 321
- TLC, identification, assay, 321
- Vitamin A analogs, mass spectra, 558
- Vitamin C, effect on hydroxylation of cholesterol, 482
- effect on oxidation of cholesterol, 482
- Vitamins, fat-soluble, TLC, silica gel-sintered plate, 259

W

- Watermelon oil, fatty acid profile, 653
- Wax, of oat leaf, anal by chromatography, 617
- of oat leaf, chemical and physical properties, 617
- Wax ester profile, dolphin jaw fat, 661
- Wax esters, in jaw fat of dolphins, 661
- long chain, in dolphin jaw fat, 661
- metabolism in copepods, 728
- short chain, in dolphin jaw fat, 661
- Waxes, *A. lumbricoides* ovary, fatty acids, alcohols, 303
- Weight, body, rat, dietary fat, life span, 329
- Wheat, flour, lipoxygenase activity, 599
- oxidation of linolenic acid by enzymes in, 606
- Wiltzsch technique, labeling of lipids, 190

X-Y-Z

- Yeast, ceramides, dihydroxy fatty acids, 325
- fatty acid profile, 655

